AFCRL-67-0339
JUNE 1967
SPECIAL REPORTS, NO. 65



# AIR FORCE CAMBRIDGE RESEARCH LABORATORIES

I. G. HANSCON FIELD, BEDFORD, MASSACHUSETTS

# Wind and Temperature Profiles from Project Windy Acres

**BOUNDARY LAYER BRANCH** 



OFFICE OF AEROSPACE RESEARCH United States Air Force



This distribution has been approved for politicated any and cale, at distribution is unbooked.

ACCESSION for CPSTI DBC U-AMMOUNCET JUSTIFICATION		/
94. Bizt.	N/AVAILABILITY CODES	

Distribution of this document is unlimited. It may be released to the Clearinghouse, Department of Commerce, for sale to the general public.

Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to the Clearinghouse for Federal Scientific and Technical Information.

AFCRL-67-0339 JUNE 1967 SPECIAL REPORTS, NO. 65

METEOROLOGY LABORATORY



# AIR FORCE CAMBRIDGE RESEARCH LABORATORIES

PROJECT 7655

L. G. HANSCOM FIELD, BEDFORD, MASSACHUSETTS

# Wind and Temperature Profiles from Project Windy Acres

**BCUNDARY LAYER BRANCH** 

Distribution of this document is unlimited. It may be released to the Clearinghouse, Department of Commerce, for sale to the general public.

OFFICE OF AEROSPACE RESEARCH United States Air Force



### **Abstract**

During an experimental program conducted in 1965 by the Boundary Layer Branch at AFCRL, data were collected in three continuous operations, each lasting approximately 12 hours. The data consist primarily of vertical profiles of wind, temperature and Richardson numbers in 15-min blocks covering periods from early evening to early morning.

		Contents
1.	INTRODUCTION	1
2.	DESCRIPTION OF THE SITE	2
3.	WIND SPEED AND TEMPERATURE SENSORS	3
4.	DATA EDITING AND PRESENTATION OF RESULTS	5
5.	DISCUSSION OF DATA	9
AC	KNOWLEDGMENTS	13
	I	llustrations
1.	Plot Plan of the Experiment Site	2
2.	View from Main Tower Facing South, Showing Wheat Stubble to a Distance of 0.5 Mile	4
3.	View from Main Tower Facing North, Showing Land Under Fallow	4
4.	The Main Station with its 32-m Tower, Housekeeping Trailer and MMOS Van	4
5.	Wind Speed and Direction Sensor	6
6.	Temperature Sensor in Aspirated Shield	6

地方 きょうきょうかん

		Illustrations
7.	Close-up of 32-m Tower Showing the Cup Anemometers, Temperature Shields and Sonic Anemometers	7
8.	Typical Profiles for Stable Lapse Rate	10
9.	Typical Profile for Neutral Lapse Rate	10
10.	Typical Profile for Unstable Lapse Rate	11
11.	Wind Speed Ratio Plotted as a Function of Stability Ratio	12
		Tables
1.	Runs for Which Data are Presented	7
2.	Heights of Bottom, Top and Geometric Mean of Layers for Which Richardson Numbers were Computed	9
3.	Profile Data for Runs 1 to 6	14

### Preface

During the summer of 1965, the Boundary Layer Branch (Meteorology Laboratory) at the Air Force Cambridge Research Laboratories conducted an experimental field program in micrometeorology. This program, nicknamed Project Windy Acres, was conducted in southwest Kansas at a site about 35 miles from the town of Liberal. Two years of intense preparation preceded these experiments; the preparation included search and selection of a suitable site, design and fabrication of a mobile computer-controlled system for fast sampling, recording and processing of outputs from various sensors, and development of many of the sensors used in the experiments.

The primary objective of Project Windy Acres was to obtain wind and temperature profiles in the first 32 m of the atmosphere as well as precise measurements of turbulent fluctuations in the wind with two newly developed three-component sonic anemometers, measurements which will be discussed in future publications.

The members of the Boundary Layer Branch who participated in Project Windy Acres are listed below:

Brown, Henry A.

Isumi, Yutaka

Newman, Jim T.

Dwyer, Joan

Kaimal, J. Chandran

Stevens, Major Donald W.

Haugen, Duane A.

Taylor, Lt. Colonel John H.

Other members of the Meteorology Laboratory who contributed to this program

Barad, Morton L.

Elliott, William P.

McLeod, Donald W.

# Wind and Temperature Profiles from Project Windy Acres

#### I. INTRODUCTION

During the summer of 1965, members of the Boundary Layer Branch initiated a new experimental program, "Project Windy Acres", to investigate turbulent transfer processes in the lower atmosphere. The experiments were conducted in southwestern Kansas where the terrain approximates an ideal flat plain. The instrumentation ranged from conventional cup anemometers to newly designed three-component sonic anemometers. Data handling, processing and recording were accomplished by means of a computer controlled data-acquisition system (Kaimal, Haugen and Newman, 1966) housed in a mobile van. This system, called the MMOS (Mobile Micrometeorological Observation System), handled data from all sensors in the field. Internal calibrations and checks incorporated in the system allowed continuous, unattended operation of the system for long experiments.

As part of the experiments in 1965, profile data were collected from three continuous operations, each lasting approximately 12 hours. This report presents the processed results from these three operations. Much of the data were obtained during the night when thermal stratification was stable. Since data for stable conditions are not plentiful in meteorological literature, it is hoped that these will prove useful for studies of wind and temperature profiles. Brief descriptions of

(Received for publication 27 April 1967)

the site, the instrumentation, and the data editing procedures, are provided in the following sections.

#### 2. DESCRIPTION OF THE SITE

The site selected for the experiments is a square mile of extremely flat land. Portions of the plot are being used by AFCRL under a long-term lease agreement with the owners. The installations at the site include a main station at the center and four remote stations as shown in Figure 1. Since the prevailing wind direction is southerly during the summer, the booms and instruments on the tower are oriented for a southerly exposure. Under the present agreement, normal farming operations are continued throughout the year. The southern and northern halves of the plot are alternately planted with wheat from year to year. Hence during the summer, when experiments are generally conducted, the half which was planted will be covered with wheat stubble, 6- to 8-inches high, while the other half will be fallow and therefore barren. During our experiments in 1965, the southern half




Figure 1. Plot Plan of the Experiment Site

of the plot had wheat stubble. Runs were made only when the wind direction was between WSW and ESE, so that the fetch for the main station (see Figure 1) was at least half a mile of wheat stubble. The immediate area around the tower, about 20 ft diameter, was barren due to trenching for underground conduits. Views of the exposure looking south and north are shown in Figures 2 and 3.

The main station has a 32-m tower at the center of the square-mile plot. Sensor cables from the terminal boards at different tower levels and the remote sites, are brought underground to a housekeeping trailer parked about 50 m east of the tower. The housekeeping trailer serves the dual function of storage space for the cable ends, as well as living area for project personnel. The MMCS van is installed next to the housekeeping trailer as shown in Figure 1. The sensor cables are connected to appropriate input terminals of the data-acquisition system. Power for operating the site is brought in through underground cables from the NE corner of the plot. Figure 4 shows a photograph of the main station with its tower, trailer and van.

For our experiment, the tower at the main station was instrumented at levels 0.25, 0.5, 1.0, 2.0, 4.0, 5.66, 8.0, 16.0, 22.63 and 32 m. Levels 5.66 and 22.63 m (the geometric means between 4 and 8 m and between 16 and 32 m, respectively) were assigned to fast-response sensors not used during the runs presented in this report.

The remote stations, W, E, NW and NE (see Figure 1), each measured wind speed, wind direction and ambient temperature at a height of 2 m. It should be noted that when the wind direction deviated from true south, either the W or the E remote station had a shorter fetch of wheat stubble.

#### J. WIND SPEED AND TEMPERATURE SEY ORS

The wind sensor used for obtaining wind-speed and wind-direction data was a new type developed for the Boundary Layer Branch by Control Equipment Corporation. Light weight cups and direction vanes drive coaxial shafts; the cups drive the inner shaft, and the vane drives the outer shaft. The shafts turn magnetic coded discs which produce electric responses in cores as they rotate past them. Each rotation of the speed disc generates 360 output pulses. These pulses are counted to obtain wind speed, and are also used to determine wind direction. For the wind direction, pulses are counted during the time required for a special magnetic spot on the speed disc to rotate from a fixed core on the shell to a core attached to the direction shaft. The resolution of the direction measurement is ± 0, 5 deg. The rate at which direction is sampled varies directly with the cup rotation, and is therefore a function of wind speed. Both speed and direction counts are




Figure 2. View from Main Tower Facing South, Showing Wheat stubble to a Distance of 0.5 Mile



Figure 3. View from Main Tower Facing North, Showing Land Under Fallow




Figure 4. The Main Station with its 32-m Tower, Housekeeping Trailer and MMOS Van

converted to analog voltages before being applied to inputs of the data-acquisition system.

One of the anemometers was calibrated in the low-speed wind tunnel at the National Bureau of Standards. It showed a starting speed of approximately 40 cm  $\sec^{-1}$ , and a highly linear relationship between wind speed and pulse count. The distance constant for wind speed is approximately 2 m per revolution. All other anemometers were compared against the calibrated "standard" under a wide range of wind speeds at the field site in Kansas. In all cases, agreement is within  $\pm 5$  cm  $\sec^{-1}$  for 10-min mean samples.

Temperature gradients were measured with a high resolution system using shielded and aspirated platinum-resistance elements (Stevens, 1967). The sensors were dual-wound, glass-encapsuled elements in a bridge circuit. The two windings in each glass tube were used in diagonal arms of the bridge to improve output sensitivity and linearity. The potential accuracy of the system is  $\pm$  0.01 C for temperature difference and  $\pm$  0.05 C for temperature measurements. The wiring design (since modified) for Project Windy Acres was not fully compensated for temperature effects in the cable, and this resulted in a slight degradation in accuracy. For the temperature difference measurement, the maximum degradation is estimated to be approximately  $\pm$  3 percent of the observed temperature difference. In the temperature measurement, it is less than  $\pm$  0.3 C.

The accuracy in the data-acquisition system is higher than the individual accuracy of any of the sensors. The system maintains an accuracy better than 0.1 percent of full scale which, translated into meteorological units, corresponds to 3.5 cm sec<sup>-1</sup> for wind speed, 0.36 deg for wind direction, 0.01 C for temperature difference and 0.05 C for temperature.

Photographs of a wind sensor and temperature sensor are shown in Figures 5 and 6. The close-up view of the tower in Figure 7 shows the relative orientation of the instrument booms during operation. (The two sonic anemometers at 5.66 and 22.63 m were not operated during the periods covered in this report.)

#### 4. DATA EDITING AND PRESENTATION OF RESULTS

The collected data represent 15-min averages of simultaneous (within 0.05 sec) scans of all sensors once per second. Runs are numbered as 1, 2, 3, 4, 5 and 6 and the letters following the run numbers denote successive 15-min periods. The letters "I" and "O" are not used to avoid confusion with the numbers "one" and "zero." Run numbers change at midnight from 1 to 2, 3 to 4 and 5 to 6. The time shown at the top of each listing is the time at the end of that particular 15-min period. The runs and their date-time information are listed in Table 1.




Figure 5. Wind Speed and Direction Sensor




Figure 6. Temperature Sensor in Aspirated Shield



Figure 7. Close-up of 32-m Tower Showing the Cup Anemometers, Temperature Shields and Sonic Anemometers

Table 1. Runs for Which Data are Presented

Run No.	Periods	Start (CST)	End (CST)	Date
1	A-L	2135	0005	12/13 Aug 1965
2	A-LL	0005	0850	13 Aug 1965
3	A-J	2200	0000	13 Aug 1965
4	A-LL	0000	0845	14 Aug 1965
5	A-T	1950	0005	14/15 Aug 1965
6	A-JJ	0005	0820	15 Aug 1965

Some of the measurements made in the field are not listed in this report. Data from the remote stations are not shown since they were intended primarily for checking the horizontal homogeneity of the site. Not all remote measurements were useful for this purpose. The NW and NE stations had different fetch; also, the remote direction vanes had orientation offsets. The wind speed and temperature readings at the W and E stations on the average agreed with the main station readings, within the accuracy of the sensors.

The temperature differences ( $\Delta T$ ) are converted to approximate potential temperature differences ( $\Delta \theta$ ) through the relationship

$$\Delta\theta = \Delta T + \Gamma \Delta Z$$

where  $\Gamma$  is the adiabatic lapse rate and  $\Delta Z$  is the appropriate height difference.

The potential temperature profiles were obtained by algebraically adding the derived  $\Delta\theta$  values to the observed ambient temperature at 2 m. Values thus obtained are not strictly potential temperature, but they are adequate for showing progressive changes in the profile.

It should be noted here that a fixed correction of -0.04 C has been applied to the  $\Delta\theta$  value between 1.0 and 2.0 m. Before this correction was made, a constant offset of 0.04 C was observed in all the potential temperature profiles as though a zero shift had occurred in the sensor. The correction smoothed the potential temperature as well as the Richardson number profiles, for all the 15-min periods.

Richardson numbers were computed using the logarithmic interpolation formula

$$R_{i} = \frac{g (\Delta \theta) Z \ln(Z_{1}/Z_{2})}{\theta (\Delta U)^{2}}$$

where

$$\theta = \bar{T}$$

$$\overline{T} = T_1 + \Delta T \frac{Z_2 \ln(Z_2/Z_1) - \Delta Z}{\Delta Z \ln(Z_2/Z_1)}$$

$$z = (z_1/z_2)^{1/2}$$

and  $Z_1$  and  $Z_2$  are the heights of the bottom and top of the layer under consideration. Table 2 shows the layers for which Richardson numbers were computed.

Table 2. Heights of Bottom, Top and Geometrical Mean of Layers for Which Richardson Numbers were Computed

Z <sub>1</sub> (m)	Z <sub>2</sub> (m)	Z (m)
0.25	0.5	0.354
0.25	1.0	0.5
0.5	1.0	0.767
0.5	2.0	1. C
1.0	2.0	1.414
1.0	4.0	3.0
2.0	4.0	2.83
2.0	8.0	4.0
4.0	8.0	5.66
4.0	16.0	8. 0
8.0	16. 0	11.31
8.0	32.0	16.0
16.0	32.0	22.63

Tabulated data for all the runs listed in Table 1 are presented in Table 3. A separate page is devoted to every 15-min period. The first half of each page lists data for wind speeds, wind directions and temperatures, consisting of values of the mean, standard deviation (denoted by 'sigma'), skewness and kurtosis. The second half lists wind speed gradients, potential temperature gradients, potential temperatures and Richardson numbers.

Units are indicated for each parameter except for skewness and kurtosis which are in hundredths; that is, skewness of -48 = -0.48, and kurtosis of 296 = 2.96.

Missing data are indicated by dashed lines. In editing the data, it was found that a timing error in the system program occasionally affected skewness and kurtosis computations. These skewness and kurtosis values were eliminated in the editing process. Richardson numbers are shown missing during a few light wind conditions when the wind speeds were too low to obtain reliable values.

#### 5. DISCUSSION OF DATA

All the data presented in Table 3 have been plotted and examined for possible discrepancies. In general, the profiles appear to be very good. Typical plots for stable, neutral and unstable lapse rates are shown in Figures 8, 9 and 10.




Figure 8. Typical Profiles for Stable Lapse Rate




Figure 9. Typical Profile for Neutral Lapse Rate




Figure 10. Typical Profile for Unstable Lapse Rate

Departures from expected behavior have been observed in some of the wind profiles. One in particular is the overestimate in the 0.25-m wind speed under unstable conditions (see Figure 10). This departure at 0.25 m must be partly due to the effect of the relatively bare ground 15 to 20 ft around the tower at the main station. It is also found that under unstable conditions and wind speeds above 5 m sec<sup>-1</sup> (for example, Runs 4JJ to 4LL), the 4.0-m level reads about 1 percent too low. The reason for this is not known.

Under stable conditions, the wind speed at 0.25 m shows an underestimate when the mean wind speed at that level dropped below 1 m sec<sup>-1</sup>. Examples of this are found in Runs 4P to 4EE, and Runs 6A to 6R. The underestimate is attributed to a slightly higher starting-speed for the anemometer at 0.25 m. The erratic wind profiles in Runs 4X to 4DD correspond to very low wind speeds at all levels below 4 m.

The potential temperature profiles appear smooth under all stability conditions; the Richardson number profiles are reasonably smooth and show appreciable kinks only when wind speeds are too low to be reliable.

The roughness length  $Z_0$  for these data is determined from the expression

$$U_{\mathbf{g}} = \frac{\mathbf{u}^*}{\mathbf{k}} \quad \text{in } \frac{\mathbf{Z}}{\mathbf{Z}_0}$$

Commence of the second

where

 $U_z$  = wind speed at height Z

u\* = friction velocity

k = von Karman's constant .

Considering the four levels, Z = 0.5, 1.0, 2.0, and 4.0 m.

$$\frac{U_4 + U_2 - U_1 - U_{0,5}}{U_4 + U_2 + U_1 + U_{0,5}} = \frac{\ln 16}{\ln 4 - 4 \ln Z_0}.$$

The ratio on the left is plotted in Figure 11 as a function of stability ratio, S.R. where

S.R. = 
$$\frac{\theta_4 - \theta_{0.5}}{(U_2)^2}$$
.

From Figure 11, the velocity ratio appears to be approximately 0. 142 at S.R. = 0. This corresponds to a  $Z_{\odot}$  of 1.07 cm.




Figure 11. Wind Speed Ratio Plotted as a Function of Stability Ratio

## **Acknowledgments**

The members of the Boundary Layer Branch are indebted to Dr. Morton L. Barad for his advice, suggestions and help in planning and executing the field program. Mr. Ray Silva of the Logistics Support Branch of AFCRL helped in the selection and leasing of the experimental site; Messrs John Burns and Robert Hurley of the same Branch were responsible for engineering details of the site preparation.

Table 3. Profile Data for Runs 1 to 6.

240 2470 .002606 2470 .002607 2470 .002607 2490 .002601 2490 .002601 2506 .04901 2506 .04901 2506 .04901 2506 .04901 2506 .001051	
.00000 .00000 .00000 .00000 .00000 .00000 .00000 .00000 .000000	2470 .002000 2470 .004077 2470 .0013241 2490 .013241 2500 .020521 2500 .043360 2530 .06105 2530 .06105 2530 .06105
.00260 .004077 .0010241 .001041 .004021 .004021 .004001 .007004 .007004	2470 .002606 2470 .002625 2470 .002625 2490 .02622 2500 .04330 2500 .04330 2530 .04330 2530 .04330 2530 .06015 2530 .060015
.0010477 .0010478 .001041 .001041 .001041 .001041 .001041 .001041	.00407 .00704 .00704 .00704 .00704 .00704 .00704 .00704 .00704
.010741 .010741 .010741 .010741 .010741 .010741 .010741 .010741	.007978 .013241 .013241 .024521 .024524 .02453 .024061 .027009
	. 021441 . 02144 . 024441 . 024441 . 024441 . 024441 . 027044
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	0.000000000000000000000000000000000000
. 004040 . 004040 . 004040 . 004060 . 004000 . 004000	. 0.0400 . 0.0400 . 0.0400 . 0.0400 . 0.0400 . 0.0400 . 0.0400
	. 004/000 . 004/000 . 004/000 . 004/000 . 004/000
. 000015 . 000015 . 000015 . 0000101	.0000 .00100 .00700 .00700 .00700
.007000	.00100. .00700. .00700.
.075846 .087008 .101686	.007000
.007008	000000
-101646	999101

Table 3 (Continued)

#1987 ACRES RUN he. 18

11 AUG NS 2150 CST

ACR16818	00000000000000000000000000000000000000	88 98 98 98	250	1432	0.25	0.00	00-1	2.00	2.03	9	•••	12.11	00.00	72.00
66 내로 프 내 보 P	78-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-	7.	2.	=	.00207	.006670	.011270	.026737	.046718	.052413	N9190.	.074005	101000	
8 . G % A	44440044	8 4	•	146.7.4	3444	7447	2459	2467	2462	•	2910		2550	2610
N P P	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000 N	2467	6-1MC 1A	n ;	•• 	<b>2</b> -	\$	6 7 - 4	2	3 9	9 9	•	<b>)</b>
24.8	00-848	* *	N	8 - 5	2:	? ;	<b>9 4</b>	2	85	2		•	P. C.	h h
	ming spece (cn/sec)	ming Biegeries (0.1 866)	TEMPERATURE 10.61C)	817	8 8 6 8 7 6 9 9 6	26.00	0000	00.4	90.4	<b>**</b> **********************************			70 · 81	90 - 20

11 AUG 65 2205 CST

MINDY ACRES RUN NO. 1C

KURTOSIS	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	297	161	2(8)	8 80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		# 4 m	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SKERNESS	41. 45. 45. 45. 45. 45. 45. 45. 45. 45. 45	11.	۰	~	100000 10000 10000 10000	.014286 .022740 .034233	.056775 .056775 .066613	.006534 .006534 .100614
4 E G 4 7	D D 4 4 B B 4 4	71	Or.	THETA		2406	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2491
HEAR	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2010	2406	A-THETA	p <u>1</u> 0	3131	1400 0000	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Z ( H )	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0 0 0	<b>∾</b>	9-8966	8 9 8 8 8 9 8 8	40 4 00 4	12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	n ೨ ≈ ~ ∪ • o ~ 0 • =
	MIND SPEED [CM/SEC]	MIND DIRECTION (0.1 DEG)	TEMPERATURE 10.01C]	Z ( H )	0.20	9 0 1 C	4 N 9 -	16.00 22.63 32.00

Table 3 (Continued)

MINDY ACRES RUN NO. 10

11 AUG 65 2220 CST

KURTOSIS	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	256	214	( 412	0.28 0.38 0.50	10.40	N + N	25.00 25.00 32.63
SACENESS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NO	7	GE GE	-002814 -006814	.019652 .019652 .032524	.040500 .055040 .054750	.099874 .099874 .097825
SIGNA	00044000 800044000	ម្ចាស់ ស	2	THETA	2312	2333	2351	
T A N	177 201 235 271 320 400 514	2114	2333	6 - THE 7A	W 0 6	2 2 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	7007	2 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2(H)	0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.2	~	A-SPEED	2 8 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 6 8 0 4 0 50 0 0	129 80 194	114 320 206
	MIND SPEED [CM/SEC]	MIND DIRECTION 10.1 DEG!	TEMPERATURE (0.01C)	2(M)	0.28 0.38 0.50 0.71	2.22 2.00 2.00 2.00	4 to 6	16.00 22.63 32.00

ı

11 AUG 65 2235 CST

HINDY ACRES RUN NO. 1E

			5	OVER 1500	いっぱっぱっぱっぱ
	0.25	184	32	-55	264
	0.00	212	35	-30	266
	1.0	245	•	-28	257
	2.0	283	42	-29	268
HIND SPEED (CM/SEC)	0.4	333	07	-35	327
	0.0	414	07	F-	264
	0.61	175	36		<b>8</b> 10
	32.0	892	32	ôn On	0 0
TOPO C.S. MOLECULOR CO. 1 DEC.		2010	64	3	COE
	32	2438	9.7	: 5	310
TEMPERATURE 10.01C]	~	2278	6	9	528
Z(M)	6-SPEED	A-THETA	THETA	ac ac	2(4)
0.25			2257		0.25
0.35	92	-		.001036	0.35
0.50	19	۰	2258	.005557	0.50
0.71	33	•		.011933	0.71
1.00	7.1	<b>%</b>	2266	.018226	1.00
17-1	900	12		.026994	17.1
2.00	99	30	2278	.035579	<b>5.</b> 00
2.83	20	97		.046752	2.83
7.00	131	52	2296	.055611	<b>*</b>
9.66	٦٠,	34		.067239	5.66
00.0	206	97	2330	.073713	9°00
11.31	127	53		.085145	11.31
16.00	355	191	2363	.093410	16.00
22.63	228	106		.107363	22.63
32.00			2491		32.00

Table 3 (Continued)

11 AUG 65 2250 CST

[ ]

KURTBSIS	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	320	<b>0</b>	2(H)	19 000000000000000000000000000000000000
SKEINESS		°	<b>5</b>	ī	.001535 .005084 .011734 .01734 .016437 .056436 .056436 .05685 .05686 .05686 .05686 .119642
SIGNA	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<b>9 9 9</b>	2	THETA	2209 2216 2216 2229 2247 2283 2336
MEAN	160 222 262 368 368 509	2108	222	A-THETA	
( W) Z	0.25 0.50 1.0 0.50 0.50 0.50 0.50	32.8	~	4-5PEED	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	wind speed (CM/SEC)	wind Direction (0.1 DEG)	10.016	24.0	0.25 0.35 0.35 0.35 0.37 0.37 0.37 0.38 0.38 0.38 0.38 0.38 0.38 0.38 0.38

11 AUG 65 2305 CST

MINDY ACRES BUN NO. 16

SAFENESS AURTOBLE	164 164 164 164 166 166 166 170 170 170 170 170 170 170 170 170 170	806 41	99	RI ZIM		.016/26 .024637 .034634			.109038 16.00 .124248 22.63
81614	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 <b>9</b>	53	THE 1A	2133	2142	2179	2221	2205
HEAN	11 11 11 11 11 11 11 11 11 11 11 11 11	2074	2196	A-THETA	<b>09</b> 6	A 0 - 0	7 <b>9</b> 7	. § 2	0 9 11
1872	00-44-48 8000000	* &	•	******	28;		22.5	200	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	WIND SPEED ICH/BEC:	wine BingCTien (0.1 866)	VEMPERATURE 10.01C)	6872	\$ \$ 0 0 0	- 0 - 0	n 0 4	00.6	70.00 78.00 78.00 78.00

Table 3 (Continued)

11 AUG 65 2320 CST

1	
270	
ACRES	
W. H.	

	2(1)	REAR	8 16 MA	SKENNESS	XCAT6818
WING SPEED ICH/SEC)	00-44-44 880-00-00-00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
HIND BIRECTION 10.1 DEC!	* *	2039 2421	20 02	` ` ' ' '	323 276
TEMPERATURE (0.01C)	~	3116	•	:	556
( W ) Z	0.3946.4	4-THE 1A	THE TA	<del></del>	( H ) Z
8 8 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 i v	0 • «	2096	.000000	9 9 9 9 0 9
0 0 0 0 0 0 0 0 -	368:	- 0 N N	2104	. 022986 . 022986 . 028980 . 048980	
4 % 6	. s. o c	0 0 0 0 N in n (	2136	.064482	9 7 6 4 9 7 6 4 9 7 7 7
10000000000000000000000000000000000000	236	0 0 0 0 0 0 0 0 0 0 0 0	2234	.096971 .096937 .112438	00000
			2369		32.00

11 AUG 65 2335 CBT

HINDY ACRES HUN NO. 13

SKEHNESS KURTOSIS	2000 2000 2000 2000 2000 2000 2000 200	253 20 2511	26 213	R1 ZIM1			.029223		-057155 -0565995		.112363		132073 22.63
4 E 29 E 6	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	21.5	9	THETA	·	2067	2075	2000	2110			2207	1330
HEAN	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2063	\$ <b>90</b> 8	A-1HETA	•	<b>6</b> 6	25	• e	21 60	30 20	90	101	123
208)	00 - 44 - 48 8 00 00 00 00	2.2	~	9-9-EE	25	25	95	<b>.</b> 2	126	0 9	911	920	220
	WIND SPEED (CM/SEC)	wind Birection (0.1 BEG)	TEMPERATURE (0.01C)	26.81	5 55 (	0.71	1.00		700	• 00 • 0	15-11	10.00	32.00

Table 3 (Continued) windy acres run no. 14

11 AUG 65 2350 CST

KURTOSIS	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	244		[#]2	0.25 0.35 0.30 0.71 1.00 2.00 2.00 1.00 1.00 32.00
SKEENESS	124 124 121 121 12	-25	g. sn	~	-002040 -007657 -019374 -028291 -058291 -058291 -05286 -092766 -092766 -114679
4 E G I M	2 2 2 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5	4 6 8 4 0 8	0	THETA	2030 -0 2036 -0 2036 -0 2052 -0 2073 -0 2114 -0 2171 -11
MEAN	126 172 172 206 251 251 251 849	2094	2052	A-THETA	-1 22 23 24 25 25 27 27 27 27
24#)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 8 8	∾	7-8PEED	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	WIND SPEED (CM/SEC)	HIND DIRECTION (0.1 DEG)	TEMPERATURE (0.01C)	Zen	0 0 2 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9

12 AUG 65 0005 CST

WINDY ACRES RUN NO. 11

10   21   -26   262   10   21   -26   262   10   126   22   4   294   100   126   22   4   294   100   132   22   23   324
--

Table 3 (Continued)

singe acats num se.	*			12 40	12 AUG 65 0020 CST
	# . <del>2</del>	NEAN	8 I GMA	SKEHNESS	XURT0818
	0.28	82	•	<b>5</b> 7	•
	0.00	50	=	500	707
	0.1	711	22		7 7
#188 400F4 (CHAPE)	0 <b>.%</b>	<b>/•1</b>	2	971	200
	••	197	20		)
	0.•	270	=		***
	0.91	717		7	700
	32.0	989	2	•	
ming District 10.1 Stell	~	2110	12	÷	i
	25	2522	22	;	<del>.</del>
TEMPERATURE 10.01C:	~	1033	61	<b>5</b>	
				•	•
- T - T - T - T - T - T - T - T - T - T	02345-1	4-14614	THETA	=	2(4)
4					
			1001		,
	9	~		054111	
	D ()	• ;	7041	• N. C. 10 •	
00-1		<u>.</u>	•	7656+0.	2,70
	9 M	-	~	.083300	00-1
3.00				90nn+0.	1.41
~ · · ·	2	3 6	3	-0.2820·	<b>8.</b> 00
80.	101		1066		2.63
	-	•			E :
	\ 1.2	757	2026	121063	• •
00.				.132047	16.11
22.03	;;	3 :	2120	00000	90.00
22.60			2206		79.22

12 AUG 65 0035 CST

mingy acats for he. 20

#1601#0#	9.0	104	600	243	203	263	200	•	308		320	2 ( W )	0.25	0.35	<b>0.9</b> c	0.71	00.1	7.6		200.7	2.66	00.0	11.31	16.00	32.00	
47.F 27.44	~	001	54-	-72	70-	•0-	• · ·	-53	76		90	-		.00000	.017623	.047609	.053765	.062710	6,06,00	107176	.120505	.136606	Spans.	50465		
# · 6 # 4	22	50	~~	23	20	79	or	30	•	7	4	THE * A	1673		1673		1991		9.31	1063		2046		2147	2277	
HE AN	"	:	120	150	217	900	04#		2147	2545	<b>9</b> 16 1	4-746.14		0	:	:	۲2	2	<b>.</b> :	971	200	101	101	231	2	
***	0.25	0.00	•	3.0	0.4	0.3	0.41	32.0		. 22	~	02349-1		-2	Ç	22	-	<b>.</b>		• •	70	223	121	750	•	
					MIND SPEEL ICHASEC						1210-01 10-0101	2×41	\$2.0	0.39	9.0	9.75	90.1			00°4	•••	90.0	11.31	00.01	000	

ı

Table 3 (Continued)

wings acets num he, 20

STATE   STAT						
24 - 44 - 44 - 44 - 44 - 44 - 44 - 44 -		7(*)	#E 44	\$ 1 cm	SAETNESS	KURT0818
22 25 -12 25 25 -12 25 25 -12 25 25 -12 25 25 25 25 25 25 25 25 25 25 25 25 25		•	•			
25			97	7.	77-	.00
2.0 211 20 -20 -20 -20 -20 -20 -20 -20 -20 -20		•	051	52		714
211 30 -20 -20 -20 -20 -20 -20 -20 -20 -20 -2		• ·	176	29		2/2
4.0 254 30 -22 100 -22 100 -22 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MIR ICANARCI	0.8	211	, <u>c</u>		473
22 27 2152 75 -479 30 -27 -27 -27 -27 -27 -27 -27 -27 -27 -27	1338 650 333	0.4	284	,	9	<b>90</b> 0
22.0 679 51 -32 -421 52 -421 52 -421 52 -421 52 -421 52 52 52 52 52 52 52 52 52 52 52 52 52		•	-	3	-57	304
22.0 679 33 -42 -42 -42 -42 -42 -42 -42 -42 -42 -42				70	-32	
2 2152 75 63 63 63 63 63 63 63 63 63 63 63 63 63			3 ·	30	-21	7 6 7
2 2152 25 63 63 64 64 64 64 64 64 64 64 64 64 64 64 64		25.	679	33	-52	250
25.2 25.2 75 -4 63.2 75 -4 63.2 25.6 35 63.3 63.3 63.2 63.2 63.2 63.2 63.2 63.2						:
22 2516 75 63 6-5PEED 6-THETA R1  22 2 1000 24 40 1000 25 1000 26 1000 27 1000 28 100	# C	^	64.6	1		
22 1999 21 -32  4-5FEED		33	2012	52	7	27.3
22 1999 21 -32 24 1.3 1970 -013089 24 1.3 1970 -013089 25 1.4 1.5 1999 -059489 140 83 30 1999 -059489 140 88 2029 -06993 158 180 2057 -110313 220 130 2167 -130158		•	9169	50	P.	
22 22 1000 21						
22 2 2 1000 -0003300 -000300 -000300 -000300 -000300 -000300 -000300 -000300 -000300 -000300 -000300 -	ברשנ וסיסונו	•				
0.25 0.35		•	2	21	-32	141
0.25 0.25 0.35 0.35 0.35 0.35 0.35 0.40 0.71 1.41 1.41 1.40 1.40 1.40 1.41						
0.25 0.35						
0.25 0.25 0.35						
0.25 0.35 0.35 0.35 0.35 0.35 0.35 0.35 1.00	21.7	0.2562.0	, , , ,			
0.25 0.35 0.35 0.35 0.35 1.00				THETA	=	Z:M)
0.35	66.0					
0.30 0.30 0.71 1.00 1.00 1.01	0.35	,	,	700		
1.50	05.0	4 (	~		991100	6 N . O
1.00 1.00 1.01 2.00 2.00 2.00 2.00 3.1 4.00 3.2 4.00 3.2 4.00 3.2 4.00		7	27	1970		60.0
2.00 2.00 2.00 2.00 2.00 2.00 3.00 4.00 1.40 5.00 1.40		*	=	•		). )
2.00 2.01 2.02 2.03 2.04 2.04 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0		-	50			0.71
2.5 140 140 140 140 140 140 140 140 140 140		**	•=		A	1.00
6.00 140 60 000000000000000000000000000000		:	70	900		
140 80 2029 .003121 8.00 215 138 2007 .10020 11.31 128 00 110313 22.01 220 1100 2107 .123204 13.00 2207 .130156		7	30		A67/60.	2.00
11.31 120 215 130 2007 110313 150 00 0 110313 150 00 0 110313 150 00 0 110313 150 00 0 110313 150 00 0 1130150 00 0 130150 0 130150 0 0 130150 0 0 130150 0 0 130150 0 0 130150 0 0 130150 0 0 130150 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		071	•	2020	7000	2.63
215 136 2067 -110313 126 86 2167 -127901 229 160 2167 -127294 200 100 2267 -130156		• • • • • • • • • • • • • • • • • • • •	-		12150	4.00
126 60 1274013 128 160 2167 127294 200 100 2167 170156		215	901	2047	99200	2.00
200 100 2167 -127501 200 100 2267 -130156		126	0		. 10213	••00
200 100 - 130194	00.01	329	140		105/201	18-11
2267 . 130150	22.03	200		<b>\</b>	-123204	10.00
	22.00	•	3	.,,,,	-130156	22.63
				/927		00 00

Table 3 (Continued)

STATE   STEPLE   ST						
DEG. 143 27 -28 143 27 -28 143 27 -28 143 27 -28 143 143 143 143 143 143 143 143 143 143		(H)Z	MEAN	SIGHA	ののできまれる	KURTOSIS
DEG: 164 27 -28 144 27 -28 150 150 150 27 -28 150 150 150 150 150 150 150 150 150 150			,		i	
DEG. 1-20 1944 27 -228 1-28 1-28 1-28 1-28 1-28 1-28 1-28		n (1	7	/2	25-	323
DEG: 2.0 232 31 -55 -44 -44 -45 -45 -45 -45 -45 -45 -45		26.0	701	27	-28	303
2.0 281 31 -44 4.0 356 33 -44 5.0 356 33 -33 15.0 666 32 -11 32 2126 72 -11 2 2401 26 72 -11 2 2401 26 72 2 2023 6 -14 4.0 202 30 005571 51 1995 003571 52 503 106 2023 00370 52 503 106 2023 52 503 106 2047 005679 52 503 106 2047 005679 53 50 50 50 505679 54 55 50 50 505679 55 50 50 50 505679 56 56 57 505679 57 62 50 50 505679 58 50 50 50 505679 58 50 50 50 505679 58 50 50 50 505679 58 50 50 50 50 505679 58 50 50 50 50 505679 58 50 50 50 50 50 50 50 50 50 50 50 50 50		0.1	101	31	 85	350
## 4.0		<b>8.</b> 0	232	25	77-	284
16-0 356 33 -33 -33 -33 32 -33 32 -33 32 -33 32 -33 32 -33 32 32 32 32 32 32 32 32 32 32 32 32 3	MIND SPEED (CM/SEC)	0.4	281	***	P. C.	
16.0 484 35 -31 32.0 666 35 -11 32.2 2491 72 -11 32.2 2491 26 -14  2.2 2491 26 -14  2.2 2491 26 -14  2.2 2491 26 -14  2.3 2491 26 -14  2.3 1995 -005571  3.0 1995 -005571  3.0 1995 -005571  3.0 1995 -005571  3.0 1995 -00573  4.0 2047 -00573  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005571  2.0 3 106 2047 -005581  2.0 3 106 2047 -005581  2.0 3 107584  2.0 4 157 -1118734		0.40	100	F F F	-	
2 2126 72 -11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.41	4	) e	7 7	<b>^ / / / / / / / / / /</b>
2 2126 72 -11 32 22491 72 -11 32 2491 72 -11 4-\$PEEU			7 4	9 (	7	SAS
2 2126 72 -11 2 2401 72 -11 2 2401 72 -11 2 2401 72 -11 2 2401 7 -14  2 2402		0 • No	0	25	<b>1</b> 00	133
2 2126 72 -11 2 2491 26 11 2 2491 26 11 2 2023 26 11 2 2023 6 -14 2 2 2023 1998 -01594 3 10 202 1 005571 3 1998 -01594 3 15 2029 -01594 49 24 2047 -075959 126 66 2047 -07597 203 106 2049 -10528 328 157 2153 -110758 2246 -118734						
2 2023 6 -14  2 2023 6 -14  2-9FEED 6-THETA R1  21 3 1998 .01584  30 10 2008 .025971  51 13 1998 .011584  50 20 20 0.025971  50 20 20 0.025971  51 20 20 20 0.02509  52 202 203 .005097  52 203 .005097  52 203 .107584  52 202 93 2246 .118734	MIND DIRECTION 10.1 DEGS	~	2126	72	==	AAE
2 2023 6 -14  2 2 2023 6 -14  2 1		32	2491	. 6	• •	
2 2023 6 -14  4-5PEED A-THETA THETA RI 21 3 1995 .005571 51 13 1996 .01564 50 25 2023 .01564 50 25 2023 .024038 67 204 2047 .025097 68 24 2047 .02529 77 42 2047 .02529 78 64 2047 .02529 79 65 64 2047 .02528 328 157 2153 .1107584		<b>!</b>		2	•	0
2 2023 6 -14  2-5FEED 6-THETA THETA RI  21 3 1998 .01584 30 16 .01584 30 202 .01584 30 202 .01584 49 24 2023 .01584 126 66 2047 .07589 126 64 .10589 328 157 2153 .116734		,				
21 1995 1995 1995 51 1996 1995 1995 1995	CAPERATORE 16:01C]	~	2023	•	-14	200
21 3 1995 .005571 21 3 1996 .01554 30 10 20 0.1554 30 15 2006 .025055 30 15 2023 .047730 49 24 2047 .076937 77 42 2047 .076937 203 106 2049 .105289 326 157 2153 .118734						
21 3 1995 .005571 51 1996 .005571 51 13 1996 .02505571 51 13 1996 .02505571 51 15 5006 .02505571 51 15 5006 .02505571 51 15 5006 .02505571 51 15006 .02505571 51 15006 .005051 5						
21 3 1995 .005571 51 13 1996 .011564 30 10 20 0.01564 36 25 2006 .025055 36 26 2023 .04770 42 2047 .076937 77 42 2047 .076937 203 106 2049 .105289 326 157 2153 .118734	Z(H)	A-SPEED	&~THETA	THETA	ac ac	Z(M)
21 3 1995 .005571 51 13 1996 .01554 30 10 20 0.01554 36 25 2006 .025055 36 25 2023 .025055 49 24 2023 .025059 77 42 2047 .076937 77 42 2047 .076937 203 106 2049 .105289 326 157 2153 .118734						
21 3 .005571 51 13 1998 .011584 30 10 .011584 38 25 2008 .024035 49 24 .047730 49 24 .047730 77 42 .047 .076917 77 42 .047 .076917 78 42 .0529 .09551 126 64 .105289 328 157 .107584 2246 .118734	0.25					ć
51 15 1998 .011564. 50 20 2008 .011564. 50 25 2008 .025055 50 39 2023 .047730 49 24 2047 .005545 77 42 2047 .005545 203 106 2049 .005585 326 64 2153 .107584	86.0	21	m		.005571	
30 10 10 10 10 10 10 10 10 10 10 10 10 10	0.50		2	¥001	****	
66         25         2006         .025055           36         15         2023         .025055           49         39         2023         .04730           49         2047         .005464           77         42         2047         .076937           203         106         2099         .095051           326         157         2153         .105284           202         93         .2246         .118734	0.71	30	9	)		
36 15 2023 .034036 .047730 .047720 .04	1.00	99	. <b>C</b> é	2008	.025.044	
87     39     2023     .047730       49     24     .05464       126     66     2047     .05464       77     42     .076937       203     106     2099     .092051       126     64     .105289       326     157     2153     .105289       202     93     .2246	10-1	30	51		0.04038	3:
126 66 2047 .065464 77 42 .076937 203 106 2049 .095051 126 64 .105289 326 157 2153 .105289	2.00	97	66	2023	.047730	, C
126 66 2047 .076937 27 42 .092679 203 106 2049 .095051 126 64 .105289 326 157 2153 .107584 202 93 .2246	2.63	07	24		1063464	
77 42 .092679 203 106 2099 .095051 126 64 .105289 326 157 2153 .107564 202 93 .2246	7.00	126	99	2047	.076937	20.4
203 106 2099 .095051 126 64 .105289 326 157 2153 .107584 202 93 2246	0.0	77	42		.092670	9 4
326 157 2153 .105289 202 93 2246 .118734	00.0	203	106	2039	.095051	
326 157 2153 .107564 202 93 2246 .118734	16.11	126	79		105280	?
202 93 2246 .118734	16.00	326	157	2153	107564	10.41
2246	PO O O O O O O O O O O O O O O O O O O	202	20		- 118734	22.63
	32.00			2246	•	32.00

Table 3 (Continued)

12 AUG 65 0120 CST

KURTOB18	7 \ 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	206 304	% % %	2(4)	0000114884 888001046884 88808004046 888080000000000000000
40人而至了而 40	0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 /	ំ សូ ភ	rs th	ī	.003634 .007231 .011375 .01606 .026463 .036463 .059727 .063343 .070281 .100936 .102807
A S D I G	V 8 10 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	72 31	9	THETA	2014
I N	190 202 202 200 200 410 520 717	2163	9 9 0 7	4-THETA	1
Z (M)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 8	N	A-SPEED	200 200 200 200 200 200 200 200 200 200
	WIND SPEED (CM/SEC)	WIND DIRECTION (3.) DEG!	TEMPERATURE 10.01C]	26#3	0.25 0.35 0.50 0.50 1.41 2.60 2.60 5.66 6.00 11.31 16.31 32.60

Table 3 (Continued)

WINDY ACRES RUN NG. 2F				12 AUG	12 AUG 65 0135 CST
	2(8)	HEAN	SICHA	CARTERIO	KURTOSIS
	0.25 0.50 1.0	194 224 264	2.2.4	1 1 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	010 010 010
MIND SPEED (CM/SEC)	84 6 1 8 8 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	307 308 431 550 726	4 0 4 4 4 3 0 0 4 8 6 6	। । । ଅଧିକ୍ୟ ବ୍ୟ ବ୍ୟ	
HIND DIRECTION 10.1 DEG.	3.2	2209 2530	n e	9	279
TEMPERATURE 10.01C)	N	2061	٠	12	365

2(4)	6-SPEED	4-THE 1A	THETA	*** 82	2(4)
0.25			or oc		
0.35	30	F	4003	9 0 0	0.29
0.50	20	) <u>-</u>	4,00	50720	80.0
0.71	•	- "	2002	.005195	0.50
	•	<b>10</b>		.006183	0.71
14.1	2 (	5.	2050	.012763	00.1
	7	11		.019467	7
0.0	9	56	2061	•029698	
20.7	•	15		-046420	
20.4	124	77	2076	1 0 c 4 0	70.3
2.66	77	90		076300	4.00
9.00	401			649500	5.66
15.41		· ·	5012	.069238	00.6
16.00		7		.079297	IN THE
20.00	6.57	115	2140	-097452	00.61
	9/1	72		-121157	22.63
00.30			2220		00.01

Table 3 (Continued)

12 AUG 65 0150 CST	KURT0818		335	302	293	267	20.00	247	260	235			205	:		192				[ L 3 7		400	67.0		00.0		3:	7 0 0	00.5	2.63	00.	90.0	00.0	10.11	00.00	32.00	)))
12 AL	SKERRESS	•	0 T	2 4	חר. י	071	-56	-17	61-	-53			<b>-</b>	7		-54							32	7	22	•	•	9	n	•	•	~	•		P		
																			=				.005237	•008564	-014392	-018899	.024938	.040499	.063073	.070331	.082029	-084692	.093589	.095641	.105803		
	SIGMA	Pin	200	7	97	47	•	2	•	8		74	2 8		;	07			THETA		2000	7707	,,,,,,	9202	1,00	6003	;;;;	4046		2063		2002		2130	0016		
	H H N	167	192	224	262	304	372	475	647			2087	2461		2046				A-THETA			•	n	•	20	1	28	- 1		2 0		<b>&gt;</b>	2 6	2 9	}		
	2(11)	0.28	000			) ·	0.0	0.01	32.0		•	~ ;	ř		~				4-5FEED		į	52	57	32	70	38	0	~ ~	110	99	171	103	275	172			
					TIME SPEEL (CM/SEC)						#IND DIRECTION (O.1 DEC)			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	יייי בייי פער נסיפוני			2643		0.25	0.35		200	00-1	7	200.00		9 6		00.4		15.21		20.02			

Table 3 (Continued)

BINDY ACRES RUN NO. 2H

	ZCH)	MEAN	816HA	SAEENESS	KURTOSIS
	0.25	176	;	;	,
		9 0	) f	71-	233
			P :	57-	276
	- "	200	43	=	253
TOTAL SECTION OF THE PARTY.	) ·	2/1	97	-14	1.40
TIME STREET LEMYSEL!	0.4	323	4.5		
	0.0	366	**	1 -	642
	16.0		;	<b>&gt;</b>	274
			D	•	245
		60	25	7.5	254
MIND DIRECTION 10.1 DEC.	•				
	• ;	6012	<b>.</b>	•1	207
	32	2515	;	28	¥1.7
				,	;
TEMBERSON OF STREET					
Truckations 10.0101	~	2031	•	9	230
214)	A-SPEED	A-THETA	THETA	æ	2(4)
0.25			2003		6
67.0	23	•		.004198	
05.0	25	**	2002		00.0
0.71	36	01	•		0.00
1.00	72	24	2017	77170	0.71
7.7	90	7.7			00:1
2.00	00	33	2031	00000	1.41
2.63	52	9.7	•	20.000	20.7
4.00	125	25	0 400	010000	2.63
20.50	73	1 5		186100	4.00
00.0	100	)		.081023	99.5
11.31	107	4.5		000000	00. •
16.00	265	10	3136	2/8690	11.31
22.63	156			9/61011	10.00
32.00		3	0716		22.63
					32.00

u to mag

Table 3 (Continued)

MINDY ACRES RUN NO. 23

12 AUG 65 0220 CST

KURTOS IS	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	322	•	<b>:</b>	00.33 00.33 00.33 00.33 00.34 00.34 00.34 00.35
*		- "!	~	Z(H)	0000
SKEENESS	40 88 8 9 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 48 T	25		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
				€	.005243 .0007244 .0007244 .0072516 .02516 .059473 .05269 .066620
8 I GMA	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	78	9	THETA	1996 2002 2010 2021 2039 2072 2116
HEAN	171 233 223 322 309 509	2197	2021	4-74614	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
(H)2	0 0 0 1 8 4 6 1 8 8 8 9 9 8 8 9 9 9 8 8 9 9 9 9 9 9 9	2 2 2	n.	4-5PEE D	200 100 100 100 100 100 100 100 100
	WIND SPEED (CM/SEC)	MIND BIRECTION (O.1 LEG)	TEMPERATURE 10.01C1	Zinj	0 0 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9

12 AUG 65 0235 CST

_
Ď
Š
fac
Ĕ
ပိ
=
6
ä
,0

SKEENESS SKEENESS	26 26 31 32 33 33 42 42 42 43 43 43 43 43 43 43 43 43 43 43 43 43	69 ~2 27 122	16 12	THETA R.I.	1946 .003375 1949 .009209	1993 .07532 4.05 2032 .08623 5.06 2032 .08623 6.00 108412 6.00 10841 11.31 2083 .112205 16.00 130486 22.63
Z(H) MEAN	0.25 1.05 2.0 2.0 2.0 4.0 6.0 16.0 16.0 16.0 16.0 16.0	2 2230 32 2595	2 1972	EED 4-THETA	n 84 6	7
	WIND SPEED (CH/SEC)	WIND BIRECTION (0.1 DEG)	TEMPERATURE 10.01C)	ZIN] A-SPEED		12.00 9.66 9.66 11.31 11

Table 3 (Continued) windy acres num no. 2L

SKEENESS XCATORIS	-49 -33 -44 -44 -45 -65 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9 -9		21.23 0.23 0.23 0.23 0.23 1.40 1.40 1.40 1.40 1.40 1.40 1.40 1.40
		?	A I I I I I I I I I I I I I I I I I I I
816HA	22 23 20 20 20 20 20 20 20 20 20 20 20 20 20	9 N N	1 META 1 904 1 912 1 948 1 948 2 049
HEAN	137 160 167 227 227 274 259 479	2268 2625 1,925	4-1 13 10 10 101 101 101 101 101
( W ) Z	0.28 0.50 1.0 4.0 8.0 16.0	~ e ~	A-SPEED 23 53 50 67 67 67 67 67 67 67 67 67 67 67 67 67
	MIND SPEED (CM/SEC)	WIND DIRECTION (0.1 DEG) Temperature (0.01C)	2 H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

12 AUG 65 0305 CST

MEAN SIGNA SKENNESS KURTOSIS	125 140 170 170 210 200 200 200 200 200 200 200 200 20	02 66 5 346	221 91- 122	A THETA RI ZINI	1808 1870	1962 .056917 6.0 107181 11.0 2030 .113820 16.0 127634 22.6
Z(M) ME.	20000000000000000000000000000000000000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 1003	A-BPREU A-THETA		
	MIN <b>D SPEES</b> (CH/SEC)	ming BingCTien 10.1 DEG!	TEMPERATURE 10.01C)	2683	##O = O = O = O = O = O = O = O = O = O	0 = 0 > 0 0 = 0 0 0 0 0

Table 3 (Continued)

				18 St	12 AUG 65 0320 C81
	36.8	MEAN	<b>9</b> 16MA	SKE WME SS	XURTOS18
	97.0	•			
	0.00	27.1	8;	-33	204
	••	202		• 7 -	277
wind speed scarace.	0.4	241		77.	910
	9.4	262		10-	308
	•	374	, w	• 1	207
	0.00	767	9 9	( <b>?</b> -	<b>9</b>
	9.7.	0	2	e m	287
ting bieteries (a.c. are.				•	:
	~	2347	•		
	~	2607	- T		312
			;	2	:
1310.01 June 10.01C1	~	•			
			•	10.	320
2001					
	7344-1	4-TMETA	THETA		
•				•	(H)
97.0			i		
	\$7	-	167.1		96.0
200	•	~ ≃	701	•0030	97.0
90.1	<b>S</b> :	•		25200	0.0
	2 3	2	1003		0.71
3.00	: 8	= ;		4001NO-	8
70.8	**************************************	<b>:</b> :		-041340	7
00.	707			V.8680.	9
	=	: :	• • • • • • • • • • • • • • • • • • • •	-064102	3.
	•	•		-074114	3
	97.7	3		-000326	
22.03		:	5016	- 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 100000 - 100000 - 100000 - 100000 - 100000 - 100000 - 1000000 - 1000000 - 1000000 - 1000000 - 1000000 - 10000000 - 100000000	11.31
32.00		:		01001	16.00
			2012		22.63
					22.00

12 AUG 65 0335 CST

minat acats num no. 2P

	2		8 P	8KE W K B B B B B B B B B B B B B B B B B B	ACRT0818
ing softs ica/stc:	0 - N 4 6	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	*	8 4 5 8 8 8 8 1	# # # # # # # # # # # # # # # # # # #
	32.0	9 7 9 9 X	# £	<b>96</b>	0
atha BingCriph (0.1 BEG)	~ ~ n	2372	8 7	7 7	309
12motaatust (0.01C)	~	•	•	<b>6</b>	22.
(	4 4 2 2 3 3 4 4	A-1ME1A	THE TA	*** **	2 i n j
8 4 0 6 4 0 0 0	20 A	P 00	1961	0.000 0.000 0.000 0.000	## ## Q
	n e c	• <del>:</del> -	1076	999 999 999 999 999 999 999	0 1 0
0 % 0 % 3 %	3 N	500	•••	, 050000 , 050000	
0 + 5 0 + 5 0 + 6 0 + 6	* ^ *	0 a c	9061	.06728	4 S
) en (	ρ <b>Φ</b> (	≱ n	7	.09992	11.03
ラド US * 中心 * 大き * 中心	605	70	1001 4001	1105161 110047	28.00 28.00 28.00
:					32.00

Table 3 (Continued) ather acres sun no. 20

12 AUG 65 0350 CST

138   138   138   138   138   138   138   139		Z ( M )	7 E A R	8 6 8 A	SAFE NESS	RURTORIS
2.0 226 30 -10 -10 -10 -10 -10 -10 -10 -10 -10 -1		8 0 0 0 4	n ○ - n e o = u a	n n i	80 O	0 e n n
23.0 4.5 3.3 -1.5 -1.5 -1.5 -1.5 -1.5 -1.5 -1.5 -1.5	#INB 80EEE 1CH/8EC1	0 0 f	228	9 6 6	000	200
2299 70 11 -33 -333 -333 -333 -333 -333 -333 -		200 ****	B - 6	9 n n		200
25 1675 10 -15  25 4 1851 .005268  31 9 1055 .009655  51 9 105 .009655  52 10 105 .009655  53 10 105 .009655  54 10 105 .009655  55 10 105 .009555  56 10 10 10 10 10 10 10 10 10 10 10 10 10	wine direction to.1 Deci	e n n	2000	6 / P		មា
25 6 10520 25 1 1052 30 13 1055 31 20 1064000455 31 20 1064000455 32 10 1064026456 33 30 1064026456 317 52 106406645 318 52 106406545 319 12006522 303 120 1971091352 304101335	TEMPERATURE 10.01C.	~	1075	01	<del>s</del> -	210
25 4 1051 31 9 1055 31 9 1055 30 1064 .015425 30 1064 .026145 30 1064 .026456 31 107 .059110 32 1084 .06910 32 1084 .06910 30 120 1971 .06966 30 120 1971 .06966	**************************************	SPKE 0	4-78518	THETA	ĩ	7 E E
36 13 1655 -00065 -00065 -00065 -00065 -00065 -00065 -00065 -000655 -00065 -00065 -00065 -00065 -00065	6.44 6.44	;		1051		
90 20 1004 .015425 93 10 1075 .026458 40 19 .026458 117 51 1094 .059320 177 77 77 79 1926 .093502 100 45 .105224 100 75 .095069	08-0 08-0	0	4 <u>5</u> 0	1988	.005268	88 60 00 60 00 00 60 00 00 60 00 00 60 00 00 60 00 00 60 00 00 60
117 197 1975 .040845 117 51 1894 .059110 17 32 1994 .099120 17 77 77 1926 .091032 100 455 1971 .095069 197 75 1971 .096069	9 w C	<b>6</b> 6 7	20.	1991	.015425	1.00
117 51 1694 .069320 177 77 1926 .065320 106 45 1926 .065224 303 120 1971 .066699 167 75 2046 .101335		34	0 0 0	1875	0.040.040.040.040.040.040.040.040.040.0	1.41
100 45 1926 .091352 100 1927 1928 .105284 1971 .096669 1971 .096669 1971 .101335	# 0 d	711	32	1661	05000	2. <b>6</b> .
107 120 1971 - 195224 167 75 1971 - 1055224 2046 - 101335	7 == ( 2 == 4 3 == 4 4 == 4	60	4. A	1926	200000.	
50707. 9902		102	120	1971	.096969	11.31
				2046		32.00

12 AUG 65 0405 CST

LEDY ACRES RUN NO. 2R

	(#)2	Z	4	1 1 1 2 3	
					200
	6.25	117	27	-71	E - E
	0.30	139	28	CF	240
	1.0	191	10	) 43 ) 47 	405
	<b>5.</b> c	200	70	- CV	9 6
AIRD SPEED CHISEC)	0.4	245	Ť	: OP	
	0.0	318	46	F.	200
	16.0	428	40		
	32.0	624	71	•	
		•	}	•	:
MIND DIRECTION 10.1 DEG1	8	2390	72	0	302
	32	2734	36	-16	410
TEMPERATURE [0.01C]	~	1847	F1	7.	ć
			}	}	9
•					
	A-SPERU	A-THETA	THETA	ec.	1432
		•	1821	1	0.25
	77	7		•003500•	0.35
	7 (	N -	1824	.014454	0.50
1/0	25	•		.030660	0.71
20.1	10	n	1833	.028818	1.00
79.7	2	**		.030343	1.41
2.00	70	90	1647	.047547	2,00
70.2	4.5	22		.071563	2.83
00.4	118	20	1869	.077567	4.00
90.0	23	90		.088933	9.00
00.0	101	00	1905	.097730	9.00
7004	011	52		.112976	11.31
20.01	200	1.0	1957	.110957	16.00
70° 07	196	88		.120143	22.63
00.55			2045		32.00

Table 3 (Continued) windy Acres Run No. 28

- 1

21H)  0.25 0.25 0.50 113 1.0 2.0 177 4.0 2.0 3.05 3.2.0 6.13 3.2.0 6.13 3.2.0 6.13 4.0 2.0 3.2.4 2.3.4	STERE SKEENESS	100 224 422 424 424 424 424 424 424 424 4		64 21 13	1.7 6	ii a		.006191	.026887	004040. 004040.	100100. 1100100.	110146	122154
4-56 66 66 66 66 66 66 66 66 66 66 66 66 6	HEAN	93 139 139 177	988 988 1188 1188	2344	1788								
#IND SPEED (CM/SEC]  WIND DIRECTION (0.1 DEG)  TEMPERATURE (0.01C]  21 H J  2.03  0.35  0.35  0.35  0.35  0.35  1.41  2.00  2.03  4.00  2.03  4.00  2.03  3.00  3.20  3.20  3.20  3.20	(H) Z	0.52 0.53 1.0 4.0	39 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		N	6 - 87 E E D	ç	9 4 6 9 6	, o v	a 4 4 e	128 90 90	9 0   0   1	306 1 66

12 AUG 65 0435 CST

MINDY ACRES RUN NO. 21

I

Table 3 (Continued)

WINDY ACRES RUN NO. 2U

12 AUG 65 0450 CST

12 AUG 65 0505 CBT

>	
`	
÷	
,	
b	
٠	
3	
5	
4	

WINDY ACRES RUN NO. 2V

	2(4)	HEAN	V 11918	SKEENESS	RURTON S
MIND SPEED (CM/SEC)	00 - 1 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	40000 900	10000000 00000000 00000000000000000000
WIND DIRECTION (0.1 DEG)	8 8	2216 2655	10 10 10 (V)	<b>^ 8</b> -	272
TEMPERATURE (0.01C)	N	1710	<b>0</b>	e n	220
Z ( W )	6 - SPEED	4-THE TA	THETA	- E	E S
0.20 0.18	23	N	1675	.003130	0.25
0.50	4 5 6 5 5	4 %	1677	.031616	0.50
1 -00	95	33	1689	.040220	1.00
101	3	- C	1710	.064623	2.00
00.4	154	122	1750	096115	14
\$1 <b>4</b> 00.4	227	163	1632	.132358	000
11.31	2690	101	1933	.157356 .182862 .000343	16.00
32.00	A01	:	2010	)	32.00

Table 3 (Continued)

WINDY ACRES RUN NO. 24

12 AUG 65 0520 CST

KURTOB18	7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	282	23 <b>8</b>	Z ( H )	88 88 88 88 88 88 88 88 88 88 88 88 88	10.11	M 4 R 6 4 4 M W W W W W W W W W W W W W W W W W
3天而言之而 88	1111 11 9045 18 9048 90 1	17		Ē	.005132	.037592 .040222 .045737 .059459	
# 161A	\$ 6 1 2 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>9</b> 0	12	THETA	1672	1667	1748
I A A	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2260 2669	1706	6-THETA	ភព	22 22 61 61	122 122 122 103 177 14
2(1)	00-44-64 46-4 66-64-64 80-64-66-6	7 CE	N	A-SPEED	2 4 2 2 2 2	7 N O G N O M O	59 160 225 225 271 147
	WIND SPEED (CM/SEC)	WIND DIRECTION (O.1 DEG)	TEMPERATURE (0.01C)	( 11 2	8 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

12 AUG 65 0535 CST

Table 3 (Continued)

<b>5</b>
6
2
ACRES
102

	Z ( H )	HEAN	SIGNA	SKEINESS	KURTOSES
WIND SPEED [CM/SEC]	0.22 0.00 1.00 0.00 0.00 0.00 0.00	11 11 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	10 A A A A A A A A A A A A A A A A A A A	1111 111 5 6 1 0 1 1 0 4	2002 2017 2002 2003 2003 2003 2003 2003 2003 200
MIND DIRECTION FO.1 DEG!	32	2260 2684	33	11.	279 275
TEMPERATURE 10.01C]	N	1 6 6 8 5	o.	97	200
Ziwi	A-SPEED	4-THETA	THETA	:- œ	2(4)
0.0000000000000000000000000000000000000	2 4 2 2 4 2	D V 4	1642	.005140 .018054	0.25 0.35 0.50
2	104	784	1659 1685	.03/155 .041787 .048867 .065822	17.0
4 10 6 6	291 201 202 203	155 105 202	1735	.086137 .105114 .128219	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
16.00 22.63 32.00	2 2 1 2 4 4 2 9 9 8	69 69	1937	-236085 -199026 -172305	1000 1000 1000 1000 1000 1000

Table 3 (Continued)

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	KUR108I
DEC. 25 92 113 114 15 119 119 119 119 119 119 119 119 119	11111 5464491 56469	
DEC) 0.50 113 119 119 119 119 119 119 119 119 119	4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	208
DEG) 1.00 1.77 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	79501	910
DEG) 2 240 10 10 10 10 10 10 10 10 10 10 10 10 10	9671	260
A-8PEED A-7HE7A THE7A  2	6 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	296
DEG) 343 19 19 19 19 19 19 19 19 19 19 19 19 19	55	339
16-0 458 23 23 255 25 258 23 25 25 258 23 25 25 25 25 25 25 25 25 25 25 25 25 25		336
2 2253 27 27 27 27 27 27 27 27 27 27 27 27 27	\E-1	315
2 2253 2585 2585	91-	
2 2253 259 2 2685 23 2595 23 259 2 1686 6 8 23 23 23 23 23 23 23 23 23 23 23 24 2 24 1661 24 42 1661 24 42 1661 24 27 1663 24 22 1661 163 163 163 163 163 163 163 163 16		
22 2665 23 2 1666 6 2 1666 7 1674 2 2 1667 2 3 1	•	164
2 1086 6 2.1 4 19 1642 2.3 1.5 1661 4.1 6.2 6.2 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661 4.1 6.2 1661	67	232
2 1086 6 2-SPEED 4-7META THETA 44 44 19 1640 23 15 1661 41 62 45 1661 104 62 55 1663 105 166 167		
21 4 1642 23 15 1646 23 15 1661 44 27 1661 104 82 1661 104 82 1661 103 1663 105 1663	-18	211
21 4 1642 23 15 1646 23 15 1666 44 22 1661 104 82 1661 104 85 1663 105 167		
21 4 1642 23 15 1646 64 42 1661 104 82 1661 104 82 1661 105 162 1743	ns X	2(#)
21 4 19 1646 23 1646 44 19 1646 45 45 1661 45 1661 1661 1661 167 167 167 167 167 167		0.25
23 15 1666 64 42 42 1661 104 62 1661 105 1663 106 162 1663 100 107	007519	0.35
23 15 64 42 104 27 104 82 1683 63 55 106 107	.023021	0.50
64 42 1661 41 27 1661 104 82 1683 63 55 166 162 1743	.047037	0.71
41 27 1683 104 82 1683 63 955 166 162 1743	048082	1.00
104 62 1065 63 55 1743 106 167 1743	.054248	
103 107	.071004	2.00
103 107	.091748	20.00
103	109834	3
	.133169	90.0
216 191	149797	00.0
\$11 \$11	.167188	11.31
284 161 1934	07877	16.00
	000000	20.21

12 AUG 65 0605 CST

HINDY ACRES RUN NO. 22

	2(11)	REAN	AT 9 II 0	SAFERE	KURTOBIS
WIND SPEED (CM/BEC)	00 - 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 1 1 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0	907777	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2000 2000 2000 2000 2000 2000 2000 200
MIND BIRECTION (0.1 DEG)	2 2	2269 2696	• → s	- 0 % 9 %	307
TEMPERATURE (0.01C)	~	99	<b>v</b> s	•	556
( H) Z	6-8PEED	8-TME 7A	THETA	ë	ZENI
0.00 0.00 0.00 0.00	N 4 6	ក្នុ	1654	.005132	0 0 0 0 0 0 0 0 0
	t Nen	7 0 0 %	1669	.034545 .039020 .045911 .050167	0.71 0.71 0.41 0.41
	2 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	37 71 71 160 106 109	1726 1600 1906 2015	.075423 .095506 .115050 .130976 .130976 .136578	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

Table 3 (Continued)

12 AUG 65 0620 CST

4	
•	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	344
	:
	Ş
	ACRES
	ă
	10471

AURT0818	0 7 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	313	796	2 E B B	# # O O O	.040	0 40 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
BEREE	44004 44044	<b>^ 9</b>	-32	<del>-</del>	.004312 .015042 .037974	.041776 .048671 .061276	.091207 .091234 .109390 .120406 .130421 .141456 .151215
42016	100 4 V G G B	0 P	en.	1 x E 1 ≥	1676	1,00	1933
HEAR	0 11 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2254	1705	4-THE 1 A	ครูจ	0 - 4 W	1
202	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	~ n	N	9348-4	4 8 - 1	1321	105 105 105 105 105 105 105 105 105 105
	(198765 (CM/SEC)	HING BIRECTION 10.1 BEG.	TEMPERATURE (0.01C)	2 E E E	\$ \$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	0

12 AUG 65 0635 CST	SACEMENS ALRIGHER	·		·	276	
	8	7.7	15. 22.	• • •	8	
	81684	• • •	17 (N	63		
	44 34	400	- 4000 - 4000 - 4000	2227	1783	
• • • • • • • • • • • • • • • • • • • •	2:11	# O O	00000 N T 0 0 N	32.8	N	
sings scaff num no.			ming speed icarseci	wing BingCriew io.1 DEG!	TEMPERATURE 10.01C1	

0.25 0.35 0.45 0.50 0.50 0.50 1.00	7 ( 11 )	4-57660	4-THE TA	THETA	<del>-</del>	1117
22 23 24 24 24 24 24 24 24 24 24 24 24 24 24	0.23			1213		
25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.35	Co	o		00000	
20 22 23 24 24 24 25 25 26 26 26 26 26 26 26 27 28 28 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	0.30	3	۰,	1717	***************************************	
00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.71	02				56.0
00 00 00 00 00 00 00 00 00 00 00 00 00	00.1	20	• •	:	PRABAO.	0.0
7.4 45 45 45 46 46 46 46 46 46 46 46 46 46 46 46 46		, ,	•	***	569/20	1.00
00000000000000000000000000000000000000			2		.0200u	1.4.1
2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20.7		ň	1733	*10070.	2.00
821 76 78 80 810 810 80 80 80 80 80 80 80 80 80 80 80 80 80	2.63	55 <b>*</b>	22		.071665	4.6
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8.•	121	7.2	1755	200100	
110 110 200 170 170 170	2.1	7.0	9	;	2000 T	
100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9.0	•••	0 -	***	47.46	
200	11.34					•
201 007			•		.150376	16.11
P0 941	3	•	797	1074	.147414	16.00
	22.03	• ^ -	•		.157600	
	32.00			1007		

Table 3 (Continued)

8188* 4646 B)8 80.	30 <b>8</b>			12 AU	12 AUG 65 0650 CST
	Z C.A.)	36 A 15	8 GMA	SAFENESS	ACR 100
	66.30	122	33		202
	06.0	**************************************	36	1 uf	, n
	0.1	22.3	60	25.	200
	0,7	3	0	1 77 1 87 1	
BING SPEEC CONTECT	0.4	ne	90		274
	•	(A)	97	<b>60-</b>	246
	0.01	1 多 1	e e	1	0 0
	32.0	985	90	•	27.1
#146 LINECTION (0.1 DEG)	Pa .	2218	•	C	279
	32	200X	28	97-	374
			<u>.</u>	•	•
16a06841UBE 10.01Ci	~	1 022	30	23	997
1412	03345-7	4-TME 1 A	THETA	-	2143
6.0					;
- C	;	•	1 29 1		6 N O
	• •	7 (		D:#100-	50°0
20.0	• •	<b>.</b>	1950	000000	0.00
90.1	• •	~ ^		004440	
	2			2004204	
2.00		. ~	1 8 2 2	.014101	00.7
~ ~	57	r		.026922	2.63
20.4	:	52	1627	.052767	00.4
•	<b>0</b> 1	50		.075764	3.60
	91	<b>9</b>	1647	.090382	00.●
	<b>A</b>	<b>0</b> 1	,	. 109209	11.31
50.01	707	<b>5</b> .	-984	.122756	16.00
00.56	•	•	1962		32.63

12 AUG 65 0705 CST

XURT0818	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
BAFER	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
8 19 4 19	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
REAN	2222222 22222 22222 2324 2324 2324 2324
Z (N)	00.00 00.00 00.00 00.00 00.00 00.00
	MIND SPEED (CM/SEC)

205

۸ <del>و</del>

36

2286 2663

WIND DIRECTION (0.1 DES)

TEMPERATURE (0.01C)

45

1940

Z ( H )	0.25 0.35 0.35 0.35 0.35 0.71 1.00 0.60 0.60 0.60 0.60 0.60 0.60 0.6
ii œ	003375 001699 001693 003693 013610 013625 003485 003485 003485 003485 003485 003485 003485
THETA	1947 1944 1946 1940 1939 1946
A-THETA	11 11111 - 48 88044660000
A-SPEED	100 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
26#)	00000000000000000000000000000000000000

Table 3 (Continued)

WINDY ACRES RUN NO. 2EE

12 AUG 65 0720 CST

KURTOSIS	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20 66 32 <b>8</b>	7 <b>0</b> 7	2143	0.25	0.71 1.00 1.41	0 4 4 8 8 0 8 0 6 0 0 8 0 0 0	23 16.00 28.00 38.00 38.00
SKERRO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\ <b>^</b> •	-52	æ	005105 602594	000708 005842 017523	027266 039377 036675 059990	004017
V E 9 I S	4 R R R R R R R R R R R R R R R R R R R	8 5 4	8	THETA	206201	2058	2039	2025 .00
HEAN	216 224 234 338 379 472 553	2286 2652	2046	A-THETA	9 7 7	1000		- ^
2(#)	8.5.0 0.5.6 0.6.6 0.6.6 0.6.6 0.6.6 0.6.6	0 0 (	N	4-SPEED	м <b>О ф</b> П К. 3	6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	- 4 4 8 8 E	
	WIND SPEED ICH/SEC)	MIND DIRECTION (0.1 DEG) TEMPERATURE (0.01C)		2(4)	0.25 0.05 0.50 0.71	2.50 2.00 2.00	4.00 4.00 4.00 11.10	22.63 32.00

12 AUG 65 0735 CST

MINDY ACRES RUN NO. 2FF

XUR10818	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	311	101	2(#)	0.25 0.35 0.50	2.00	2000 1 1 0 W 4 V 8 V 8 V 8 V 8 V 8 V 8 V 8 V 8 V 8 V
SKEENESS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-11 30	n 1	*** 62	004514 002347 000519	005825 016260 021291	-0000000000000000000000000000000000000
SIGNA	9 7 9 7 9 8 7 9 8 8 9 7 9 9 8 9 7 9 9 8 9 9 9 9	7 S S S S S S S S S S S S S S S S S S S	<b>9</b>	THETA		2152	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
HEAN	000 4 4 11 11 0 000 4 4 11 11 0 000 00 0 0 1 0	2349	2136	A-THETA	<b>9</b> 07 7	2 4 4 0	2000000 11111
2(#)	0 0 1 2 4 4 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 8 8	~	6-5PEED	0 0 n	00. 00. 00. 00.	0 4 0 4 1 0 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	MIND SPEED (CM/SEC)	MIND DIRECTION (O.1 DEG)	TEMPERATURE 10,01C]	26.03	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 1 6 6 - 1 0 6 - 1 0 6	4

Table 3 (Continued)

12 AUG 65 0750 CST

. 266	
RUN NO.	
ACRES	
HINDY	

KURTOS I S	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 6 13 5	<b>78</b>	2(#)	*	900	0.30	2.4.0		9 6	11.31	22.63
SARENESS	1   1   1   1   1   1   1   1   1   1	0 0	<b>©</b>			<b>3</b> 2	i in ie	0 N	· (%)		0 IS	-
¥	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<b>20</b> 80		ā.		007121	010206	022510	058062	102756	186452	271061
816HA	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9 6	og	THETA	2261	2249	2243	2225	2210	2193	2184	2173
HEAN	22 22 24 24 24 24 25 21 26 21	2371	2225	A-THETA	6	110	9 7	B 60 1	61 <u>-</u>	55	1 6 1 1 1	<b>:</b>
Z (H)	0.22 0.52 0.53 0.64 0.60 0.60	3.2	N	7-8PECD	ñ	0 5	30	. 6 4	• O 0	. n 4	0 4	
	HIND SPEED (CM/SEC)	MIND DIRECTION (0.1 DEG)	TEMPERATURE (0.01C)	Z(H)	0.25	0.50	1.00	2.00	4 N	0.00 11.11	16.00 22.63	92.00

12 AUG 65 0805 CST

KURT9818	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	338	225	2683	0.25	0.00 0.00	0.71	1.41	2.63	900	11.31	32.00
SARTEROS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>9</b> 70	23		:		22	0 io	<b>9</b> 0	~ 7	99	•
8 I GRA	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	n n 0 <del>1</del>	•	THETA	2375	2361006061	2348010680	2328031835	2309 062080	2290 130784	2269280479	2257 353696
200	9 00 0 4 4 8 8 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2357 2669	2328	&-THETA	7	-27	-33	O O	. e o	9-7-7	. P. C	•
<b>8 8 9</b>	00 - 1 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4	8 G	<b>N</b>	4-SPEED	8	101	119 55	70 <b>9</b>	106 55	10 <b>6</b>	6 9 4 2 5	ı
	WIND SPEED (CM/SEC)	MIND BIRECTION (0.1 DEG)	TEMPERATURE (0.01C)	E # 92	88 89 69 69 69 69 69 69 69 69 69 69 69 69 69	0.71	3 4 (		0 6 1 6 4 7 10 c	00+14	10.00	95°00

Table 3 (Continued)

WINDY ACRES RUN NO. 2JJ

12 AUG 65 0620 CST

KURTORIS		287	50 <b>9</b>	2(H)	00.00	- 1 2 4 8 4 1 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
BAFERFES	4	- 1.5 5.5 5.5	89 7	: e	003734 007172 01508	1.00.00.00.00.00.00.00.00.00.00.00.00.00
8 16 MA	6 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	103	<b>6</b>	THETA	2427	
IEA	N N 4 4 8 8 4 4 4 9 4 9 9 9 9 9 9 9 9 9 9 9	2343	2376	4-74614	1 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Z (M)	00011 W 4 4 4 W 0000 0000 0000 0000 0000	2 2	~	7-8PEE 0	44. 101 153	n
	MIND SPEED (CM/SEC)	MIND BERECTION (0.1 DEG!	TEMPERATURE 10.01C)	2(4)	8 8 0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	70 90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

12 AUG 65 0835 CST

Z(R) NEAN SIGNA SKENNESS KUATOSIS	0.25 304 61 -16 265 0.50 346 67 -19 273 1.0 403 80 -19 270 2.0 460 81 -5 271 4.0 509 76 13 262 16.0 566 76 7 14 265 32.0 646 64 -1 271	10.1 DEG1     2     2305     104     23     276       32     2732     71     -12     315       -01C1     2     2420     15     19     222	2490007313 0-25 42 -16 2474007313 0-35 43 2474010012 0-35 41 114 -54 247013412 0-37 57 -27 2420013460 1-00 57 -27 2420 1-01346 57 -27 2420 1-01346 57 -28 2420 1-01346 58 -28 2420 1-01346 58 -28 2420 1-01346 59 -48 2372075189 4-00 50 -48 2372190734 6-000 50 -48 2372190734 6-000 50 -48 2372190734 1-31
	BIND SPECE CM/SEC.	MIND DIRECTION (0.1 DEG) TEMPERATURE (0.01C)	2 0000

Table 3 (Continued) wingv acres nun no. 211

12 AUG 65 0850 CST

KURTOSIS	8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 5 5 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<b>7</b> 0	Z ( M )	80 80 C	0.72	2.00 2.00 2.00	0 <b>0</b> 0 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	32.63
SKREENS	104 11 V	70	1	ï.	014041	014379 021096 030884			89000/
8 1 GRA	9 6 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	22	•	THE TA	2526	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2469		
HEAN		2473		6-TMETA	76.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7	2 4 7 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	•
26.83	00-44-64 8.00-60-00 8.00-60-00	~ n	•		4 <b>6</b> 10	7.5	100	7 <b>.</b>	2
	ning BPEEB (CN/SEC)	wine BiRECTION (0.1 DEG)			# 0 T	0 - 1 - 8 - 0 - 0 - 0 - 0	7004	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32.00

	,		
•	١	Ċ	
	į	i	
	:	į	į
	į		
,	ė		ì
	۱		į
	¢	į	
ţ		ì	į
٠	١		
•	ř	2	
ď		į	
į	į	į	Ì
1	ı	į	ļ

		rante o (Continued)			
HINDT ACRES NUM ME.	7.			12 AL	12 AUG 65 2200 CST
	200	MEAN	816MA	8 K E 2 K B 8 8	KUR70518
#1#8 \$PTE\$ 1CM/8EC1	00-N-0-N	2 4 4 8 0 4 8 C		6 1 7 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
WING DIRECTION (0.1 DEG)	<sup>N</sup> N	1000	nn on	n e	33.
TEMPERATURE (0.01C)	N	8 8 8	•	•	<b>:</b>
200	9 3 3 4 4 - 4	A-THETA	THETA	ä	
9 8 0 10 5 0 10 0 0	77 CC SC	~ •	2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	.000000	0.38
	7 <b>2</b> ;	<b>9</b> N ;	2352	.010112	1.00
0.4	:::	- 0 -	2363	.007148	2.00
83	. <b>.</b>	- in r	2302	05050	. 4 . 0 . 0
87.	8 5		2413	.074024	• 0 • • • ;
14.00	2002	137	2463	.09760	10.00
22.00		•	2550	, , ,	

Table 3 (Continued) sings acats for no. 38

14 AUG 69 2215 CST

KUR10818	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		•	1812	8 8 0 7 7 0 0 3	1.00	0000 0000 0000	25.00 25.00 35.00 35.00
84 24 24 8	4 0 4 400 4 40	-10 21	-30	ī	.001528	.011128 .020394 .032774 .036033	.047379 .059301 .074321	00000000000000000000000000000000000000
8 6 8 A	N 4 0 0 0 0 0 0	90	08	TMETA	2205	2300	2330	
7 20 2	100 8 20 20 20 20 20 20 20 20 20 20 20 20 20 2	1324	3311	4 - 7 M F - 4	<b>-</b>	` <del></del>	© ∩ ∢ ⊕	2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1872	00-44-618	~ ~	∾	9 3 3 4 6 9 9	7 O A	97 <b>3</b> ;	7	2
	"ine south (CA/62C)	wind Binccrion to.1 pCG;	TEMPERATURE 10.016;		##U #7 # # \ • • • • • • •	0 - 0 0 0 4 0 4 - 0 4 N	0 0 0	2.55 2.55 2.55 2.55 2.55 2.55 2.55 2.55

12 AUG 65 2230 CST

MINDY ACRES RUN NO. 30

KURTOSIS	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5	272	ZEM)	0.25
6×62766	1111 2002 1124 1242 1242	271	<b>©</b> (A)	<b>=</b>	80000 80000
8 GNA	6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9 C C	<b>4</b>	THETA	2229
MEAN	159 206 206 224 379 312 512	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2246	6-TYETA	<b>-</b> 0
(4)2	0 0 - 1 4 0 1 N	2 2	~	A-SPEED	23
	WIND SPEED (CH/SEC)	MIND DIRECTION (O.1 DEG)	TEMPERATURE (0.01C)	[W]Z	000000000000000000000000000000000000000

Z(H)	0.25 0.25 0.20 0.21 1.00 2.20 0.20 0.20 0.20 0.20
E	.001538 .001518 .014112 .021116 .024110 .054601 .056016 .105666 .119566
THETA	2229 2230 2235 2246 2309 2362 2362
4-THETA	1
A-SPEED	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
[H]2	0.25 0.35 0.35 0.35 0.36 1.41 1.41 2.63 2.65 8.00 8.00 11.31 12.00

Table 3 (Continued)

WINDY ACRES BUN HE. 3D

12 AUG 65 2245 CST

	(H)Z	A A SI	916ма	SCHEFFE	KURTOSIS
	0.35	121	55		100
HIND SPEED (CH/SEC)	. W 4 6 4 9		ଅନ୍ତେଶ ଓ ଓ ଓ ଅଧିକ ଓ ଓ ଓ	P K O 9 8 1	7
HIND DIRECTION (0.1 DEG)	, « « »	133. 133. 149	23 60	. 6 4 . 6 4	202
EMPERATURE (0.01C)	N .	2162	61	S	257
( W ) Z	6 - 5 PEE D	A-TMETA	THE TA	 QC	1 W 1 Z
88 89 80 00 00 00 00 00 00 00 00 00 00 00 00	6 0 0	<b>-</b>		005030	80 SO
0 - 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	0 4 4 0 4 4	, n 6	2166	.008642 .020370 .033194	0.50
0 n 0 0	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2162	048900 064800 064800 06481	2.002
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 0 4 V V V V V V V V V V V V V V V V V V			4 R 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6

12 AUG 65 2300 CST

Table 3 (Continued)

×
1
3
ACRES
AUNIN

ALBOTEUM	1 0 0 0 0 4 4 1	275	25.53	2(#)	8 8 8 8 8 9 9 8 9 9	2.01 1.00 1.00 1.00	700 600 600 700	00000000000000000000000000000000000000
8KE 28/188	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, 4.2	62	œ œ	000000	.036447 .051003 .060815	.073361 .079304 .090432	.128121 .160524 .204051
# 16# A 1	2822227	25	67	THETA	2086	2092	2143	2331
E SE		1318	2109	A-17E1A	0 6 6	20 m 10 l	2 C O S	120 270 150
2(1)	00-14444 4400 44000000	84 M 29	N	7-8PEED	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 D 0 1	6 10 - 10 14 - 10 - 10	186 181 1981
	MIND SPEED (CM/SEC)	NIND DIRECTION 10.5 DEG!	TEMPERATURE (0.01C)	ZIN)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	0 - 0 - 0 - 0 - 0 - 0 - 0	4 th 6	11.41 16.00 22.60 42.00

Table 3 (Continued)

HINDY ACRES RUN NO. 3F

12 AUG 65 2315 CST

KURTOS18	7000-100: 1000000: 1000000:	223 256	201	( 4) 2	8 m 0 c		W 4 R 4	11.18 22.63 32.63 32.63
9 7 7 7 8 8	440-4460 440-4460	9 7	6 9 1	ī	.000000 .000676 .018556	.034912 .054475 .067656	.065661 .065200 .111793	.134499 .164657 .205276
816MA	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	B ⊶ 4 N	01	THETA	2 ) 4 5 2 0 4 5	2051	2099	2298 2455
REAR	# # # # # # # # # # # # # # # # # # #	1306	2067	A-THETA	ର ୬ ୬	25 10 10 10 10 10 10 10 10 10 10 10 10 10	7	134 291 157
2(11)	00 - 1 - 1 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	32 2	N	A-SPEED	2 4 0 2	4 H 40 H	24 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	- O o e e o e e o - E
	HIND SPEED (CM/SEC)	WIND DIRECTION (0.1 DEG)	TEMPERATURE (0.01C)	214)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 4 W 4 -	10-01 22-60 32-60

Table 3 (Continued)

2098 2240 2401

Table 3 (Continued)

HINDY ACRES RUN NO. 3H

12 AUG 65 2345 CST

	2(11)	MARK			
			419 19	SKENNESS	KURTOSIS
	0.25			i	
	DG • 0	<b>60</b>	, •		472
	0.1	103			276
MIND SPEED (CH/SEC)	D**	137		514	202
	••	101	¥ :		347
	o. <b>.</b>		•	•	400
	16.0		9.	•	P 1
	6	<b>\*</b>	9		6/3
		692	2		20
				2	154
mine pinterior to.1 beel	•	,			
	,	1436	78		
	75	1625	91	\n	210
				<b>67</b> -	:
CHIERATURE (0.01C)	•				
	•	1991	2.6	!	
			3	<del>5</del> -	8 3 8
1					
	A-SPEED	A-THFTA			
				~	7183
0.24					
\$F.0	,		1001		
	<b>5</b>	;			0.28
76.0	60		,	001859	
	97		9041	-016341	
200	52	. 4		.065959	
	70			.077338	17:0
00.7	•	¥ *		.090933	00:
70.7	90	•	1001	-096266	7.7
00.	156	20		-104606	4.00
5.66			2003		2.83
<b>9.</b>		<b>1</b> 0	!	6/8767	6.9
11.31	* **	237	2098	70000	5.66
16.00	761	142		00000	00.0
22.63	<b>P</b> (	303	2240	901061	11.31
32.00	245	191		57967	9
				-139141	

13 AUG 65 0000 CST

~
3
ACRES
W I M B V

	2011	HEAN	\$ 16HA		AUSTESA
110 87E5 (CN/0EC)	00-44-64 WB000000	2 0 1 1 1 0 0 1 1 1 0 0 1 1 1 1 1 1 1 1	9488989 8444489	4 / 8 4 8 8 8 8 8 4 8 8 8 8 8 8 8 8 8 8	9 7 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
IND BIRECTION (0.1 BEG)	~ 25	1464	20 2	<b>42</b>	233
EMPERATURE (0.01C)	a	7015	•	<b>1</b>	80 80 80 80 80 80 80 80 80 80 80 80 80 8
(#)2	9-8-66	A-TMETA	THETA	ë	E # 32
6 0 0 0	3	ņ	1872	000533	0.25 0.35
0.71	<b>3</b> - 1	0 n	1969	.003146	0.00
1.41	7 7 7 0	7 n	1602	.073999	1.00
00.4	<b>5</b>	2	2161	.084452	8
7		76 T	1961	.103796	2.9 .00.4
	707 707	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2070	.121326	90.4
11.31	191	144	•	.144970	11.31
25.62	9 7	200	2214	. 136995	16.00
32.00	) 	) •	2360	•	32.00

Table 3 (Continued)

13 AUG 65 0015 CST

\$
3
5
ACRES
IND

XUATOR:	4 2 2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
SKEENESS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
SIGHA	2 2 2 2 2 2 4 2 2 4 2 4 2 4 2 4 2 4 2 4	04 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MEAN	1117 1117 122 227 224 224 224 224	1920 1940 1940 1940	4-1HETA 100 100 100 100 100 100 100 100 100 100
Z(H)	00-44-44 44-44-44 44-44-44 44-44-44	N N N	
	WIND SPEED (CM/SEC.)	MINB DIRECTION (0.1 BEG) TEMPERATURE (0.01C)	

13 AUG 65 0030 CST

Table 3 (Continued)

wingy acres num no. 48

	(#)2	NEAN	8 I GH A	84 FEEF 86	KURTOSIS
	0.25	0 0	17	- 134	569
	1.0	125	01	90.	262
	9.0	155	9.0	97.	000
THE SPECE (CAUSEC)	0 (	508	2	9 F	3 6
				· •	27.5
	32.0	702	90	. 02	200
1030 1 01 101110000 0111	•	9	ē	2	300
	200	1657	55	• •	4
TEMPERATURE (0.01C)	~	1001	=	73	286
2141	0-3PEED	A-THETA	THETA	Ē	E 3.
0.25			6061		0.25
60.00	•1	1.		002531	0.35
0.00	35		1908	.020873	0.50
0.71	11	12		.068257	0.71
8:1	47	33	1920	.069435	1.00
15-1	30	21		.076679	1.41
2.00	:	53	1941	.069768	<b>5.</b> 00
2.63	70	32		.072060	2.63
<b>6.0</b>	139	50	1973	•091196	<b>*</b>
2.5	\$0 <b>4</b>	29		.114325	5.65
8.•	222	159	2036	.119386	9.00
11.31	137	90		.133750	11.31
10.00	907	235	2132	.104093	16.00
22.63	271	136		20000000	22.63
32.00			22/1		24.00

Table 3 (Continued)

13 AUG 65 0045 CST

7
3
ACRES
104
7

*********	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	261	173	Z(M)	0.00	0.71	2.00	7. P.	• 00 •	11.31	32.00
SAFERS	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	110	0 }	ī	002050 -013765	.05.504	.07245	90000000000000000000000000000000000000	120907	. 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	i 1
8 I 6 R A		80 W	2	TMETA	0 6 6		0101	7501	2014		2230
HEAN	1102 1222 1224 1244 1244 1244 1244 1244	1460	6161	A-1META	; o	2 g g	) <b>7</b> 7	: n =	151	216	
26.8	00-14-018 800-14-018	25 2	•	93348-9	0.0	9 N N	 	3:	215	250	
	198/82 (CW/8CC)	wind direction to.1 DEG:	TEMPERATURE 16.01C;	1412	# # O O O	90-1	00.8 8.8	0 0	0.0 11.31	95.05 55.05 56.05	

13 AUG 65 0100 C87

•
8
ō
7
$\mathbf{z}$
_
2
•
~
م
ø
H
•

wings achts num no. 48

2(4)	0.25 0.50 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	11m0 B1mECT10m 10.1 BE61 2		93348-9	0.00	1000 1000 1000 1000 1000 1000 1000 100					
•	***										
46 AN	4440 N 404 N 440 O H N N H H 4 N N N T N		7) 0 0	4-THETA	<b>~</b> ^	. <b>.</b>	2 2	**	53	216	<b>)</b>
8 CMA	7 8 4 9 7 6 0 0 N N N N N N 7 7	**************************************	•	THETA	0.41			1010	1972	2061	2100
BAENESS		7 s s ·	<b>2</b>	=	798800°-	.037040	.042990	.071232	.098682	.129912	.099640
RURTOSIS	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	4.	26.83	99 99 (	06.0	2.0	2.62	. n e	11.31	22.63 32.00

大学 できる かんかん こうしん

Table 3 (Continued)

13 AUG 65 0115 CST

ĭ
•
2 2
VCAE S
-

NORTON .	9 1	0 1 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	181	2 t u 3	880 880 800	2.00 2.00 2.00	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
10000000000000000000000000000000000000	494694444 49469444	1 20	<b>\$</b>	ž	001000	.027124 .024526 .04526	00000000000000000000000000000000000000
4 E C C C C C C C C C C C C C C C C C C	N 4 4 4 4 W 6 O	7.0	ē	THE TA	1909	1912	2043
MEAN	11 19 19 19 19 19 19 19 19 19 19 19 19 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1024	4-THETA	<b>;••</b>	~ ~ ~ ·	100 V 00
2(4)	00-81-68 8000000 8000000	% & B	~	07345:-1	N 0 0 N 8 N	0 N G 5	1011164 1061174 1077
	1238/82 158/3551	sing singClien 10.1 BE61	TEMPERATURE 10.01C1	Z(m)	##0 **********************************	0 - 0 m 0 4 0 0 N 4	0 4 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

15 AUG 65 0130 CST

Table 3 (Continued)

HENDY ACTES RUN No. 4F

SKEUMEUS KOZTOSIO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-3 -6 -6	208	## 0000
8 T GR A	0 44 6 4 6 × 6 6 × 6 6 6 × 6 6 6 6 6 6 6	<b>9 9</b>	23	1940 .001424 1941 .001728 1942 .01978 1949 .01978 1960 .025942 1979 .055942 2010 .079048 2036 .073459
REAN	1.57 1.02 2.04 2.04 3.7 4.6 7.2 9.2	1659	0961	4 1 1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2483	00010000000000000000000000000000000000	2 2 2	N N	4 4 6 6 6 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6
	MIND SPEED (CM/SEC)	MI''U BIRECTION (0.1 DEG)	TEMPERATURE 10.01C]	2 5 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Table 3 (Continued)

WINDY ACRES RUN NO. 46

13 AUG 65 0145 CBT	KURTOBIS		• •	220	TO STATE OF THE ST	NO.	212	311	287	310		ı	224	•		101			1 W 1 Z		76.0		9	0.71	00.1	1001	00.2	2,5	6.90	: :	9.00	10° 71	00.01	77 P	)
N E!	84614688	41.	* P (	7		- C - C	3	7	01.	77-		•	2	<b>.</b>		•			 			.002050	166010.	.021004	.027629	.038823	.043462	.054207				0011C1	.003020	1	
	BEGNA	25	20	8	e e	5 T	2		3	3		2.0	22	;		e i			THETA		7001		5001		7041			1011		1975		2029		2119	
	HEAR	140	160	99 17	222	270	445	797	102			1691	1744			1918			ATTRIA		•	<b></b> (	2 "	> ;	7	, p	) <u>-</u>	25	30	65	75	777	<b>8</b>		
<b>9</b>	2(4)	0.25	0.30	0.1	2.0	0.4	0.0	16.0	32.0			~	32		1	~					ş			9 6	1 67	70	;	124	76	194	110	60 (	237		
TING ACRES ACK NO.					こうからくのして 日本の名称 日本日本						ELEO DISSIPLICATION . O. C.	1936 T.O. VOLICANIA			TEMPERATURE 10.0101			1212		20.0	100	0.50	0.71	1.00	17-1	2.00	2.03	9.00	00 n			D0.01	32.00		

13 AUG 65 5200 CST

HINDY ACRES NUN NO. 4H

MEAN SIGHA SKEWMESS	132 153 179 211 201 201 201 200 30 465 31 165 165 165	1666 64 10 1765 25 5	1603 7 91	A-THETA THETA RS	0 1869 .000000 9 1869 .000485 9	1676	25 .055782 43 .077149 107 .092875 107 .095426 64 .105749 60 .087952 96 .086476
2(4)	00 - 44 - 48 4 - 4 - 4 - 4 8 - 6 - 6 - 6 - 6 8 - 6 - 6 - 6 - 6	~ 7	N	7-2660			2 0 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	KINB SPECD (CM/SEC)	HIND BIRECTION 10.1 DEG1	TEMPERATURE (0.01C)	£ # 12	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2	

Table 3 (Continued)

MINBY ACRES RUN NO. 43

13 AUG 65 0215 CST

RURTOS IS	6 n 6 n 8 e 4 n 8 e 6 e n n 8 e 8 e n n 8 e 8 e n	326	300	7	00000000000000000000000000000000000000
BKETTER	7 6 0 0 8 5 7 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2.91	7	<del>~</del>	.001424 .008606 .018693 .024997 .034007 .045009 .069282 .069282 .069282 .06426
V S S S S S S S S S S S S S S S S S S S	6 6 4 4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22	•	THETA	1 975 1 976 1 980 1 980 2 020 2 124
HEAN	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1661	© ©	4-THETA	
<b>2</b> ( <b>3</b> )	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* **	∾	0-39EE0	
	WIND BPEED (CM/BEC)	NIMB BIRECTION (G.1 BEG)	TEMPERATURE (0.01C)	fu)	0.28 0.18 0.90 0.71 1.41 2.00 2.00 11.30 11.30 32.00 32.00

13 AUG 65 0230 CST

ž
3
ACRES
* O #   #

	wing spece (cm/sec)	wing bingerion to.1 BE6)	TEMPERATURE 10.01C!	26.81	
£ . N	00-846-8 800-846-8 800-86	32 2	N	4-8PEED	
ne an	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1069 1786	•	4-THETA	
8 I 6 8 A		35	•	THE TA	1 0 3 4 1 1 0 3 5 1 1 0 0 3 1 1 0 0 3 1 1 0 0 2 5 1 0 0 0 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0
8KE HNE 88	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	• !	P P P P P P P P P P P P P P P P P P P	Ē	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
8.801008	7 6 0 6 7 0 0 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		9	1111	0000-1-0046-1-000 0000-1-0046-1-000 0000-1-0000000000000000000000000

Table 3 (Continued) winer acres num no. 41.

13 AUG 65 0245 CST

- 070000 - 00000000000000000000000000000	i i		Z ( W ) Z	<b>9</b>		07	2	18	25.00 25.00 35.00 35.00 35.00
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	, ne	<b>89</b>	-	191	010 010	2 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	121	n n	5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
5 6 7 7 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	@ N	2							
0 1114 105 105 207 200 200 200 200	90/1 90/1	C = -					_		
00-44-58 880000000	~ ~	~							
19 8PEEB (CM/8EC)	B DIRECTION (0.1 DEG)	PERATURE 10.01C)							7 00 00 00 00 00 00 00 00 00 00 00 00 00
	97 16 19 19 19 19 19 19 19 19 19 19 19 19 19	0.25	0.25 07 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	0.25	DEG1 25 97 116 -33 1.0 114 16 -46 2.0 20 23 2.0 22 23 2.0 23 32.0 673 23 -27 32.0 673 32 -27 32.0 673 32 -27 32.0 65 33 32.0 65 3 33.0 65 3 34.0 65 3 35.0 65 3 36.1 17 1760 65 3 37.0 65 3 38.1 1760 65 3 38.1 1760 65 3 39.1 1760 65 3 30.1 1760 65 3 30.	DEG! 0.25	0.25	0-25	DEGI 114 119 119 119 119 119 119 119 119 119

13 AUG 65 0300 CST

Table 3 (Continued)

Ţ	
\$	
3	
ACRES	
<b>&gt;011</b>	

	Z ( W )	MEAN	8 103	SKEENESS	KURTOBIS
BING SPECE (CHARC)	80000 80000 80000	12 0 7 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	7 9 9 9	2 2 1 4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100
	0000 • • • • • • • • • • • • • • • • • •	7 7 9 9 9 7 9 9 9 7 9 9	9 R 50 C	0 0 0 0 7 1 1 7	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
wind Direction (0.1 8EG)	≈ & S	1767	27	21.5	279 256
TEMPERATURE 10.01C]	~	1770	01	69	241
18 JZ	9-89560	# # #	3	ā	
0 0 0 0		•	1740	Ī	2(#) 0-25
00 N	9 ;	v <u>ss</u> :	1742	.021918	8 O
	- 20 T	291	1755	.055627	1.00
000	•	S 0	1778	.065753	1.41
1 4 1	108	101	1015	.093925	. 4 . 6 . 6 . 6 . 6
0000	212	7 7 7	1679	.119564	
22.63	2 0 0 20 0 20 0 20 0 20 0 20 0 20 0 20	0 0 0 0 0 1 1 0 0 1	1059	.122594	11.31
32.00		•	2074	.095661	22.63 32.00

Table 3 (Continued)

MINDY ACRES RUN NO. 4N

13 AUG 65 0315 C8T	XURT0818	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9 8 8	2(11)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
13 AU	SKERRESS	122 222 222 222 222 222	P 8	:	=	200 240 240 240 240 240 240 240 240 240
	SI GRA	2 2 2 2 2 2 4 2 4 2 4 2 4 2 4 2 2 2 2 2	7.0	•	THETA	1733 -000200 1736 -022261 1749 -054095 1771 -022620 1771 -086091 1606 -096021 1674 -110262 1959 -10365
	HEAN	06 100 127 161 2014 301 432 674	1797	1771	A-THETA	103 103 103 103 103 103 103 1103 1103
•	2(8)	0.25 0.50 1.0 2.0 2.0 3.0 3.0	32.2	N	4-SPEED	20 20 20 20 20 20 20 20 20 20 20 20 20 2
		WIND SPEED (CM/SEC)	WIND DIRECTION 10.1 DEG!	TEMPERATURE 10.01C)	26.81	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

	204)	I N	8 16HA	87.E 2 16.88	RURTORIS
wing setts (CA/SEC)	00-84-68 88000000	2 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00000000000000000000000000000000000000
wing Diagerion (0.1 DEG)	2 2	1926	8 S	e- 15-	315
TEMPERATURE 10.01C1	~	1740	•	70	242
26.83	93346-7	A-TMETA	THETA	Ŧ	1417
30 00 00 00 00 00 00 00 00 00 00 00 00 0	77	7 7	1692	.005750	9 8 0 9 8 0 9 8 0
- 0 0 0 0 0 0 0 0 0 0 0	- 4 n o	1778	1709	500/00. 500/00. 500/00.	0.71 1.00 1.41
2848	207 207 207 207	4 0 V 8 0 0	1798		70000 10000 10000
35.00	9 0 7 N	9 m 9 0	2043	105030	0000 0000 0000 0000

1

Table 3 (Continued)

13 AUG 69 0345 C81	KURTEBIS	352	275	727		7 7 7	070	200	24.2	ì		206			26.81		0.25	0.35	0.50	17.0	9 -	00.	2.5	8.	9.0	10.11	9.00	22.63
13 AUG	8KEHNE88	9	•	-24	7	7	•	•	-20	•		-13																
	•													č	•			-000	.067162	.0000	.084294	*****	121304	137076	.134002	13066	00500	
	<b>8</b> 16na	2.5	2 5	=	<b>~</b>	2 4	2		<b>1</b>	77		~		7 ME T.A.		4441		1001		200	1711	•	1705		•••	7.663		\$602
	HEAN	70	•	F 6	276	909	<b>??</b>		1067		•			4-THE TA			•	<b>.</b>	2 3	7 6		25	22		•		201	
<b>;</b>	. E . W	\$ 0 0 ·	900	4	0.0	0.0	0.20	,	~ 25		~			07749-1		4	2	: :	20	*	-	A 1	2 2	216	2	260	•	
			CONTRACTOR OF STREET	1336/W1 000 00 00 00 00 00 00 00 00 00 00 00 0				sing binterion to. 1 nee.			CHARACTER (0.01C)				3		0.0	16.0			70.0	8.	<b>9</b>	00.	16.11	C - C - C - C - C - C - C - C - C - C -	27.00	

13 AUG 68 0400 CST

winer acres num no. an

	(¥12	44 Ju	4 H 2 H	2	RURTOB18
	### ± 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9		0 - 0 - 4 9 7 9 1 1 1	4 0 2 4 0 2 6 0 0 0
	900	7 N N N		7722	7 - 0 s 0 s 0 s 0 s
1926 1101 1011 9081	* * *	1001	31.2	-39	202
TEMPERATURE 10.01C1	~	1738	•	<del>;</del>	122
1 m 1 m	92249-1	6-THE TA	THE TA	ī	214)
	23	• (	F .	48.8400·	\$ 60 0 0
160	: 2	<b>3</b> 23	1,08	.06266	0.50 0.71
	723	92	1735	.040737	- 00 - 00 - 00 - 00 - 00 - 00 - 00 - 00
8.4.8	118	227	1761	40001.	700 4.0
6.50 11.31	222	2	1997	20000	• O
0 P 6	::	908	•	44460.	25.63 25.63
			•		32.00

Table 3 (Continued)

13 AUG 65 0415 CST

•
2 53
2
:
ï

13 AUG 65 0430 CST

Table 3 (Continued)

17
, 0
2
ACRES
#1MDY

KUMT0818	10000000000000000000000000000000000000	312	161	(H)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 4 C C C C C C C C C C C C C C C C C C	2 4 4 4 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2
SKEEKESS		to 40	ņ	ž	.010935 .042617 .106711	.105440 .1062862 .106286	11557023 1175601 11557003 11557003 1155703 115571
81644		4 G	=	THE TA		1625	1737
HEAN	4 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1014	1676	A-1HETA	25 61 14 14	S = S	120 07 107 107 107
(4)2	C. 0 84 0 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22	~	A - SPEED	<b>ට වෙ</b> ර එ ට ⇔ t	6 4 3 N 4 N 40 W	124 241 271 275 4
	WIND SPEED (CM/SEC)	WIND DIRECTION (O.1 DEG)	TEMPERATURE !0.01C.	( #) 2	0.25 0.35 0.71		4 - 00 6 - 00 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Table 3 (Continued)

WINDY ACRES RUN NG. 40

13 AUG 65 0445 CST

NCRT8818		56	M
おと何まと何事の	0117 % 118 014 0 4 N 0 0	1 : 8 4 0 %	2000 2000
<b>8</b> 16 MA	O 80 O O N 80 60 60	9 0 9 7 2	1919 1519 1578 1632 1707 1706 1885
I F F	2000 - 000 000 000 000 000 000 000 000 0	1003	19 19 19 120 120 120 120 120 130
268)	00646 460646 900646	~ ~ ~	4 - 8 9 EED 3 4 4 5 5 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	MIND SPEED (CM/SEC)	MIND DIRECTION (0.1 DEG) Temperature (0.01C)	21#1 0.25 0.35 0.35 1.00 1.41 2.00 2.00 5.66 5.60 5.60 32.63 32.63

13 AUG 65 0500 CST

MINDY ACRES RUN NO. 4V

	(4)2	HEAN	8 633A	SKEENESS	RURTOSIS
	0.25	n	٥	?	289
	0.50	;	•	14-	197
	1.0	£ <b>9</b>	•	77	200
	2.0	102	11	97	:
WIND SPEED (CM/SEC.	0.4	162	<b>S</b> 1	79	253
	0.0	251	91	100	366
	16.0	376	25	33	27.1
	32.0	643	50	40	279
MIND DIRECTION (0.1 DEG)	~	1933	99	51	691
	35	1984	12	-31	:
TEMPERATURE (0.01C)	~	1560	<b>7</b> 0	61-	171
26#1	A-SPEED	A-THETA	THETA	Œ.	Z(H)
,			7771		0.25
67.0	•	į		.007449	0.35
	1 9	40	1469	400500	0.50
0.71	61	6 P		.180228	0.71
00.1	80	16	1500	.127496	1.00
1.41	36	52		.113669	1.41
2.00	00	129	1560	.123801	2.00
2.63	09	7.7		.142181	2.63
90.4	149	178	1637	.150402	4.00
5.66	0	101		.168994	2.66
9.00	214	205	1736	.167403	<b>9</b>
11.31	125	104		.175608	11.31
16.00	392	257	1842	.124523	16.00
22.63	267	153		.112867	22.03
32.00			1000 T		34.00

Table 3 (Continued)

MINDY ACRES RUN NO.	ŧ			¥ £1	13 AUG 65 0515 CST
	( W) Z	HEAN	\$16MA	SAFENESS	RURTORIS
	0.25	r) ş	01	92	250
	-		01	901	392 340
一年11年10年11日 11日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本	<b>5.0</b>	107	21	61-	324
	•	154	61	P9-	276
		218	2	-74	270
	35.0	1109	9 P	10 0 10 1	361 270
WIND DIRECTION 10.1 DEGI	~;	6591	7	86-	251
	32	1965	61	28	200
TEMPERATURE (0.01C)	Na.	1527	11	.67	227
26.01	0-8PEED	4-THE TA	THETA	ë	2(4)
0.25	,		1428		50.0
	(i	<b>Z</b> ;		.004497	0.0
0.71		7	1442	.025299	0.50
1.00	25	) <b>(</b>	0/71	190700	0.71
	35	97	•	130472	00-1
00.0	29	106	1527	. 151297	2.00
90	•	9		.180820	2.63
	3		1567	.219650	•••
•••	101	192	1671	.205742	\$.0 0.0
11.31	123	901	•	AL 10011	00.0
00.00	413	200	1779	- 125051	16.00
32.00	0	178	. 90	1111494	22.63
					32.00

13 AUG 65 0530 CST

MINDY ACRES AUK NO. 4X

# T # D # D # D # D # D # D # D # D # D	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	179	• •	2 ( 10 )	90 90 00 00 00 00 00 00 00 00 00 00 00 0	1.00	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	140 V V V V V V V V V V V V V V V V V V V	010	120	ī	.001421	.120471	# P P P P P P P P P P P P P P P P P P P
8 163 A	0 4 4 P P 6 A P	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	•	4 F 4	1413	8 6 6 6	1 1 1 1 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3
36 28	440-647	8 8 8 7 6 8 6 11	1004	A-1ME 1A	n	<b>8</b>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 C M J		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	~	9-5955	43	7	
	1326/W3 6PEE 1CM/8EC1	ains Biacciien (0.1 Bes)	TEMPERATURE 10.01C)	212	0 0 0 0 0 0		

Table 3 (Continued)

BINDY ACRES BUR NO. 47

13 AUG 63 0545 CST

	î <b>.</b>	I A A	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	SKERNESS	AURT0515
	0.25	n g 4	9 7 9	-21	230
**************************************	00	72	9 9 9		237
	•	212	<b></b>	0	9 7 7
	00.8	129	2 2	;;	351 351
wind Bineciion 10.1 SEG!	. ~	<b>\$</b>	257	16.	2
	32	1011	•	: 2	252
	p.	6	•	74-	<b>320</b>
( w ) 2	73348-9	A - 1 ME T A	THE 7 A	ī	T # 72
2.0	į		1417		0.25
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	<b>▼</b> 6		-002579	0.39
0.73	181	3 %	7		9.0
00.1	S.		1447	.277612	
2.00	, e	\$ 6	-	.028266	17.1
2.03		2		- Care	2.00
0.4	091	97	1545	. 142107	200
• • •	94	99	1	.167520	5.66
	722	233	1633	-17410	00.
00.0	150	37.2	1778	. 162677	11.31
22.03	314	227	•	.121172	22.63
32.00			2005		

13 AUG 65 0600 CST

Table 3 (Continued)

7
į
3
ACRES.

SKENNESS KURTOSIS	146 110 -146 341 -543 502 -22 22 282 -23 282	736	902	R1 2(H)	.046332 0.25 
8168A	000 • 0 7 1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	==	•	THETA	1462 1465 1514 1517 1527 1729
7 4 H	9 9 9 6 9 6 8 6 8 8 8 8 8 8 8 8 8 8 8 8	2016	1814	4-THETA	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
(H)2	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	~ 6	N	93348-1	2 1 1 1 1 1 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6
	uind speed (ca/sec)	wind Direction (0.1 DES)	Temperature (0.01C)	8 7 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Table 3 (Continued)

(Continued)	
r arore r	
	444
	ACR NO.
	ACRES A
	10414

	•				13 AUG 65 0615 CST	15 CST
	2(#)	MEAN	8 E E B	SAERNESS		KURTUSIS
		,				
		n	•	41.64		
	06.0	42			1111	•
	0.	32	•	<b>X</b>	120	0
STAN SPEED CONVECTOR	<b>5.</b> 0	50		701	•	^
	0.4	128		11	120	0
	0.0		9	09-	3	•
	0.41	0 1	20	671		
		9/2	91	* = -	* 7	- (
	2.55	200	23		2	~
MING DIRECTION ID. 1 DEC.	•					
	<b>№</b> ;	1507	261	•		
	32	1862	22	77-	P11	n
		1		=======================================	<u> </u>	<b>1</b> 0
TEMPERATURE 10.01C.						
	~	1516	•			
			•	• • •	275	
2111						
•	7-37-6-1	A-TMETA	THETA	č	1877	
0.25						
0.35	30		1421		•	4
0.50	9	2 6		.007136		0
0.71	-	, r	1404	.101051	? •	ָּהָ נ
00.1	- 6	2 (		. 383886		<b>.</b>
17.1	-	70	1407	.463758		-
3.00	9 6	2		4.0000	00-1	9
2.03		7.7	9761	075649	7.7	-
4.00	7 (	57		07460	8.0	•
	5.7	103	1551	**************************************	2.63	<b>n</b>
		20		00 100	ō.	0
	61	1 50	0191	440000	3.6	•
	•	100		.270732	0.0	
	780	299	9.21	9/19/7-	11.3	
	290	166	•	.148349	16.00	
>>:;			• 10	.124655	22.6	
			5		32.00	

13 AUG 65 9630 C81

BINDY ACRES NUN NO. 460

89 89 70 15 15 16 16 16 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	#ind pres (CH/SEC) #ind binection (O.1 BES) Tempenature (O.01C)	00 - 44 - 4	11 12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	74777984 94 ^	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
55 6 (41) (00165) (41) (00165) (41) (01013) (41) (01013) (41) (111475) (41) (41) (41) (41) (41) (41) (41) (41	: :	:: :: :: :: ::	4 	4 1 1	<b>;</b>	•
25 (417 (10103) 15 15 1432 (10103) 15 15 1432 (10103) 15 15 1432 (10040) 15 15 1432 (10040) 15 15 1432 (10040) 15 15 15 15 15 15 15 15 15 15 15 15 15 1	\$.0			141		
15 (417 (01013) 15 (417 (01013) 15 (15 (15 (15 (15 (15 (15 (15 (15 (15 (	<u>*</u>	22	•	)	-001057	200
15 15 15 111475  36 51 1432096403  36 103 146619060  36 103 146619060  172 133 16217240  172 166 160207704  246 160207706  246 160207706  246 160207706  246 160207706  246 16020776  246 26620776  246 26620776  246 26620776  247 26620776  248 26620776	•	0,4	7	1417	010133	
90 91 1432096403 95 95 95 95 95 95 95 95 95 95 95 95 95	_	57	•		11175	
35 30 1400 199903 85 103 1400 199903 85 103 1400 172404 172404 172404 172404 173404 173404 85 103 173404 85 103 17344 8	•	2	3	1432	707400	100
90 103 1400 .119900 94 143 162 1535 .17404 78 65 1545 .17404 78 190 1540 .20704 84 101 1540 .20008 84 101 1731 .19745 845 100 1731 .19745	-	25	90		.096146	
195 67 15732 193 162 15795 79 65 150 2000 94 101 173 1900 174 200 1731 19745 242 100 1731 19725	2	2	103	1404	000017	00.0
1545 1545 17464 17664 17	~	20	•1		.147732	2.4.
172 196 196 1970 - 20700 1970 1970 1970 1970 1970 1970 1970	•	133	162	1535	.172404	) ( T
172 100 1000 10000 10000 1001 1001 1001	•	22	50		-207704	) d
245 101 101 101 101 101 101 101 101 101 10	•	172	=======================================	1630	**************************************	D C
2007077		-	101			•
87/101. 37/1 001 698 87/0/1.					20000	11.3
	22.63			15.1	57/61.	16.00
		707			.176325	22.63

Table 3 (Continued)

SINGT ACRES AUN NO. ACC	724			30 A 21	13 AUG 60 0645 CST
	7(4)	46 44	48.4	\$0 42 E 44 A	X C 8 C 8 C 8
	#6°0	•	11	97.6	į
	0	7	2	4	265
	-	<b>S</b> C	2	01	179
	0.8	7.4	•	\$0	900
wind speed temaster	0.4	122	~	-32	251
	••	\$0 <b>2</b>	26	-12	244
	0.01	332	32	an	212
	32.0	577	55	01	167
	•	***	631		274
THE PERCHANGE TO THE PER	•	9091	9 A 4		7
	32	2101	~	٠,٧	9
TEMPERATURE 10.01C1	~	- 2 4 6	32	-21	177
3141	0-59EEU	4-THE TA	THE 1 A		(w)2
;					\$6.0
67.0	;	í	7761	- 00,001	
	<b>`</b>	ņ ·	,		
9	7 (	• •	1161		2.0
00'-	7 -	. 2	1526	.142177	00.1
	57	50	ı L	.094307	1.41
30.2		93	1546	.075165	<b>5.</b> 00
8.8	;	35		.101111	2.63
•••	171	107	1961	501/11.	8:
•••	r•	72		n-0-9n-1	9.0
00.0	210	••	.653	V60001	
10.11	127	117		102117	200
90.0	372	566	1770	00-10-1	
22.03	245	70.		19/461.	32.00
20.30					1

13 AUG 68 0700 CST

singly acris for me. 488

	# * * * * * * * * * * * * * * * * * * *	NE AN	8 6 8 A	***************************************	ACR74918
	# 0 * # 0 • 0 • 0	n 9 0 8	••••	0 8 0 0	- 0 1 5 - 0 1 4 8
	9 9 9 9 9 9 9 9 9 9 9 9	/11 80 80 80 80 80	2 • 2 %	# N D T	0001 0041 0001
zing BingC718n 10.1 hC61	~ ~	**************************************	7.2	8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
TimeCartum 10.616;	~	6 6 7	•		250
1 E F F	93349-1	A-TMETA	THE TA	Ë	(w)2
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	*	•	B961	00000-	0.25
	^ 8-	<b>≠</b> 0	1560	.230055	0.0
<b>0</b> • • •	*:	7 n	1570	126721	0
8 c	101	3.5	7881	. 04430	200
97.0	\ • 3	: : :	1624	76464	20
	3	3:	1072	176973	00
	200	0 0 0 0 0 0	1787	5070KT -	10.00
8.22		5	1070	. 197345	32.00

Table 3 (Continued)

13 AUG 65 0715 CST

sings acres for so. acr

ROT ROT S	- 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6	202	176	7(#)	30 S S S S S S S S S S S S S S S S S S S	0 = 0 = 1:	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SKENESS	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	6.11 6.21	3,	ī	002152	276800 022837 -027603	.060438 -122221 -106708 -200708 -259711 -235938 -246016
4 K 3	2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9 O	8	INE TA	1026	1917	1634
46 44	11 # 0 4 0 U 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1321	1620	4-THETA	p a	077N	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
( <b>8</b> ) <b>2</b>	00000000000000000000000000000000000000	2 2 8	~	9345.4	# Q 4	on on on on one on one one one one one o	1 0 K N N 4 N 1 4 A 4 C 4 B 
	(234/w3) 932e8 8w1w	ming tiaterian (0.1 Std)	15mpfes1v8E 10.01C!	7 8 7 7	# # 0 0 0 0	0 → 0 0 0 + 0 + 0 1 + 1 + 1 1 + 1 + 1 1 + 1 + 1 1 + 1	00.4 00.4 00.4 00.4 00.4 00.4 00.4 00.4

	2(H)	Z q	N S S S S S S S S S S S S S S S S S S S	SKERNESS	XUAT0515
	0.25	24 1 4 1 5 1 5 1	60 m 4	-70	220
MIND SPEED (CM/SEC)	0.4 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2222 2222 2024 2005 2005	. 4 4 4 0 . 4 6 9 U	4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MIND DIRECTION (0.1 DEG)	32	1516	4 N	sn O• □ 1	241
TEMPERATURE (0.01C)	~	1976	104	7	
[#]2	A-SPEEU	4 - 1 X E - 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	THETA	 %	7 ( W )
0.23	50	01,	1915	620546	0.25
0.50	9g 91	-10	1905	1.045041	0.0
1000	% % 0.00	581	1845	104154	200
2°00 8°00 8°00 8°00	<b>0</b> 2	E.	1676	212836	2.00
0.00	. <del>.</del> .	-26	1832	274677	5.00 4.00 5.00
	7 1 7	22	1650	274576 068749	• •
16.00	160	C 9 9	1650	000000	10.00
32.00			6141	•	32.00

Table 3 (Continued)

WINDY ACRES RUN NO. 466

	2(4)	3	į			
	(11)	E E	\$16MA		SKEWNESS	RURTOB18
	0.25	201	43		07-	***
	0.1	202	57		-72	9 0
	2.0	295	m e		07-	297
	0.4	320	00		-43	200
	0.0	440			-30	313
_	0.91	362	3		-27	286
•	2.0	361	2 00		-120	202
	•				}	
60	32	1637	103		-32	373
					•	762
N		860 <del>.</del>	<del>o</del> n		90	264
A-SPEED		A-THETA	THETA	ë		(H)
		61-	2155	,		0.25
		-31	2136	019765		9.0
		-12	2	522410-		0.30
		900	2124	040292		0.71
		97		077985		90:
		-20	8A0X	126393		2.00
		£ .	2078	254230		2.63
		2.5		295274		9.
		27.	2005	545577		99.4
		97	2052			11.31
		3	2040	435194		22.63
						) ( ) ( ) (

	Tabl	Table 3 (Continued)			
HINDY ACRES BUN NO.	HH T			SUA ES	13 AUG 65 0800 CST
	(#12	HEAN	61 6MA	Saferes	KURTOSES
	\$6°0	262	57	97-	322
	05.0	296	19	97-	339
	0-1	350	92	_ R-	297
	0.0	900	65	-11	265
	0.4	436	20	•	263
MINE SPECE CONSECT		470	99	13	231
		0 0	87	61	200
	32.0		75	01-	200
	•	1007	90	17	321
MIND BIRECTION TO. 1 DEC.	<b>v</b> 5	2001	2 5	27	414
	<b>y</b>		5	!	•
	,		;	:	Š
TEMPERATURE (0.01C)	~	555	5	:	:
2(4)	4-5PEED	A-THETA	THETA	<u>.</u>	1412
0.25		,	28.22		0 (
65.0	34	-15	!	656010*-	000
0.50	99	-28	2265	008307	0.0
0.71	40	-13		007244	0.71
1.00	102	-36	2252	015911	20.1
1001	40	-23		5042464	1.41
3.00	90	-42	2228	052297	00.2
2.63	99	-10		085642	2.83
00.4	72	56-	2210	117229	00.4
5.66	<b>4</b> D	<b>71-</b>		-157740	9.0
9.00	22	-20	5196	200545	90.
11.31	90	-15		257026	15.11
16.00	2 3	-55	2181		22.63
CO-C7	?		2174		32.00
200					

Table 3 (Continued)

13 AUG 65 0815 CST

KURTOBIS	302 200 200 200 27 1 27 1	5.0	321	2	10 10 C	0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7000-0ng	
¥	7 7 N N N N N N N	Ň	ñ	26.83	•••	0 N	8 4 8 8 4 4 8 8 6 8 8 8 8 8 8 8 8 8 8 8	•
NA MES MAN	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	· !	ñ	<del>,</del>	005852	009269 014733 023577 039682		
4 £ 9 = 0	8 9 9 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 IV	21	TMETA	2376	2343	2298 2279 2256 2253	
HEAN	N N 4 4 R R R R O 4 O 9 O 9 C W R 4 9 ~ 8 W 9 9	1810	2321	A-THE1A	1000	1 1 1 1 1 4 4 4 4 1 4 6 8 10	11111 2410 100 100	
(± 5 Z	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	60 G	~	0 - 3 <b>P</b> E E D	39 62 62	117 55 102 47	101 100 100 100 100 100 100 100 100 100	
	WIND SPEED (CM/SEC)	MIND DIRECTION (0.1 DEG)	TEMPERATURE 10.01C)	1412	0.00 0.00 0.00 0.00	1 - 00 2 - 00 2 - 00 3 - 00	75 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	

13 AUG 65 0830 CST

NINDY ACRES RUN NO. 4KK

	2(11)	HEAR	816MA		KURTOSIS
HIND SPEED (CM/SEC)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 4 4 8 4 8 4 8 4 8 8 8 8 8 8 8 8 8 8 8	4 = 10 = = = 0 = 0 = 0 = 0 = 0 = 0 = 0 =	00000000000000000000000000000000000000	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
sing Birection (0.1 DEG)	22 2	1751	0 m	<b>9</b> •	5 0 0 0 0 0 0 0 0
TEMPERATURE (0.01C)	~	2367	r R	en •	532
E # 12	6 - \$PEED	A-THETA	77E1A	ē	8 J Z
\$ \$ \$ \$ 0 0 0	101	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2448	006996	0.35
0.71 1.00 1.41	56 115 57	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2409	011049 015562 021903	1.001
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 1 0 1 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0	444444 44444	2387 2383 2383 2319	1004400.1 004400.1 004400.1 004400.1 00400.1 00400.1 00400.1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
75.00 72.00	<b>/</b> 6	•	2323	70000	32.00

Table 3 (Continued)

0845 CST	KUR16818		270	746	273	252	274	192	240		321	111		204			:		25	0.35	50	71	00	1.41	82	2 6	9	8	23	10	
13 AUG 65 0845 CST								••	••		•	•		~			(H)Z		å	•	Ġ	ö	~	- 7			3.0	•	7. 4	22.63	
77	SKE INE SS	4	57-	~	~		27	07	'n		-36	n <b>-</b>		<u></u>																	
																•	• !			650110	7 9 6 9 0 0 - 1	013979	020943	038654	072645	060069	124602	248641	114980	910855-	
	8 I GHA	2	28	P 6		. 6	<b>8</b> 2	17		•	95			•		THETA		25.70		2500		2475		2445	2411	•	2386		2362	2373	
	HEAN	200	7.7	542	207	400	717	756		1762	1013		2445			4-THETA			-50	75-	671		7	-34	-30	-25	67.	***	?=		
•	(10)2	0.25	0.1	2.0	P. (					~ :	20		~			1-8PEE0		;	• -	***	761	99	123	<b>S</b>	521	0/	2 05	10	7		
			4	TIME SPEED (CM/SEC)					WIND BIRECTION 10.1 DEC.			TEMPERATURE ID.DIC.			. 1	-	0.23	8n.0	0.00	0.71	00-1	1001		20.7	99.5	00.0	17.11		32.00		

13 AUG 65 1950 CST

		816MA	• 0	2 2 2	26	23	61	<b>6</b>	io.	•	34	
ned)												
Table 3 (Continued)		MEAN			203				1417	1517	2429	
	۲ •	(#)2	0.29		0.0 •	0.0	16.0	32.0	~	32	~	
					-				1 0561		-	
	81887 ACRES ACR NO.				MINN SPEED (CN/SEC)				MIND DIRECTION 10.1 DEGI		TEMPERATURE 10.01C1	

7(8)	A-SPEED	A-7HETA	THETA	ă	2(8)
		•	•	•	•
0.25			2393		0.29
0.35	17	n		.006393	0.3
0.50	42	12	2396	.015558	0.50
0.71	25	٠		.023287	0.71
200	65	33	2405	.044847	1.00
1.41	33	24		.071237	1.41
2.00	06	96	2429	.066545	2.00
2.63	57	35		.069573	2.63
•••	771	20	2464	.061625	70.4
5.66	4	50		.098822	5.66
• 00	206	130	2522	-111565	9.00
11.31	119	72		.130850	11.31
00.91	262	142	2594	.150344	16.0
22.63	143	70		.175777	22.63
12.00			2664		30.CE

Table 3 (Continued)

HINDY ACRES RUN NO. 58

13 AUG 65 2005 CST

SERVESS RUPLES	190 190 190 190 191 191 190 190 190 190	-14 299 69 361 102 275	R. Z(H)	0.25 0.13942 0.13942 0.22764 0.21143 0.71143 0.71143 0.71143 0.71143 0.71143 0.711443 0.111443 0.11443
8 16 N	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	64 6 82 84	<b>₹</b>	2294 2297 .0013 2308 .0013 2308 .002 2308 .002 2308 .002 2369 .003 2437 .114 2437 .114
Z(H) HEAN	00.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	32 1349 32 2332	6-8PEED 6-THETA	20 20 20 21 20 20 20 20 20 20 20 20 20 20 20 20 20
	MIND SPEED (CM/SEC)	MIND BIRECTION (0.1 DEG) TEMPERATURE (0.01C)		

13 AUG 65 2020 CST

Table 3 (Continued)

BINDY ACRES RUN NO. SC

RUATOSIS	222 222 221 221 221 221 221 221 221	220	152	1412	6.28 0.39	0.50	0 - 0	4.00	0.00 11.11	18.00 32.63 32.00
SAFENESS	5000000 100000 100000	28	in Pi	Ē	.004224	.009506	.020655	.051864	.091117	.126308
Z 29 28 28 28 28 28 28 28 28 28 28 28 28 28	0000000V	• •	W.	THE 1 A	2301	2304	2330	2356	2400	2 4 6 <b>6</b> 2 5 4 6
26 A 2	2	44 40 40 40	2330	A-1HE1A	n	201	<b>0</b> - 7	780	12.6	
24.8		72	~	03348-9	,	- N	- 0 d	141	215 212 236	700
	#1#8 \$PEES   CM/8EC)	mins singerton to.1 pec.	TEMPERATURE 10.01C)	1 K 1 Z	\$2.0 \$40.0	000	8		900	0 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Table 3 (Continued)

	81611688 AUA10818				100		120		-26 320		-13	1												22.63	
	816na	00	ñ 0	77	<b>;</b>	₹;	\$ 6		<b>.</b>		32	THETA R.	1	5522	48800.		2266	2201		2004	0001/0: CTC2	Ĭ	2404 . 100149	250551.	
•	74 P	105	236	276	328		747	•	1 4 9 0		3.201	6-TME 1.6		5	7	- ;		20	۲,	7 0	901	~ ;	201		
		0.38	0.6		9 9	0.0	32.0	•	**	•	~	03348-7		2	7 5	3	2	2 ;	46.	:	212		202		
			1	wind sotto ten/stel				sing Sinterion 10.1 pts:		1510-04 BUTTER 10.0151		* E - N	0.25	90 C	0.7	8:-			•••	33	17.71	00.41	79 G - 10 M		

13 AUG 65 2050 CST

Table 3 (Continued)

SINDY ACRES RUN NO. 96

	£ 3	R SE	81684	********	814818
	0.23	<b>9</b> 1	7.	-92	27.5
	9.0 0	291		971	205
			. 2	-	27.0
	) (	) (1 1 1 1	9	-20	267
step Setts (CN/SCC)	÷ (		7	~	311
	9	9 0	2 2	45	422
	3 (		• •	•	:::
	75.0	6	2	•	
mind biocetion (0.1 ME)	~	2111	3	F1 *	508
	35	6971	•	•	•
					;
TEMPERATURE 10.01C1	~	\$110	2	<u>:</u>	<b>5</b> 02
***************************************	03348-4	4-14614	THE TA	<del>-</del>	21H3
			2147	4	0.63
	4:	-		110200	n (1
9.5	n	01	2149	.012472	0.50
	97	•		.021709	17.0
201-	3		2157	979979	9.
	25	•	ı	6000	• (
3.00	:	4	3176	0/0000	200
2.63	25	3.7	1	*COCBO •	
7.00	140	11	2202	2162/0	
***	:	08	4	410400	
<b>6.0</b>	223	9 2 4	# 00	900000	
16.11	#P.1	• ^	•	966711.	7
00.01	347	<b>9</b>	2322	202621	20.00
22.63	212	127		.146225	50°37
32.00			5692		35.

Table 3 (Continued) stable 3 (Continued)

13 AUG 65 2105 CST

X 18918	1 7 9 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	325 257	171	2143	00000000000000000000000000000000000000
SK	0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 1 1 0	<b>?</b> -		.000330 .013198 .021924 .037174 .059542 .06933 .06933 .06653 .120069 .125662
\$16MA	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2	ī	THETA	2073 .006330 2075 .006330 2063 .027974 2063 .05542 2103 .056235 2113 .077062 2117 .102003 2213 .122003
HEAN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 12 14 14 14 14 14 14 14 14 14 14 14 14 14	F 0 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	VI 32.00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
, KIN	# Q N # O O C O D O N # O O C O D O	***	n,	4-5PEED	
	wind speed (CM/SEC)	stan Cieteries (O.1 DEES	Trockstude 10.016.	Zeny	55 50 50 50 50 50 50 50 50 50 50 50 50 5

13 AUG 65 2120 CST

The second secon

BINDY BURES RUN NO. DG

NURTES: S	252 304 304 304 209 301 209 200	297	22.7	(11)2	0.25	08.0	00:	2.00	2.00.4 .00.4	6.6 60.6	11.31	32.00
SAEBNEUS	11111 888421191 348691191	<b>,</b> °	•	u- Œ	.002824	.015922	.036137	.056225	.060743	.107508	.126906 -137746	.156414
SICHA	2 4 4 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	57.	0	THETA	8102	2020	2030	2050	2066	2155	2291	2448
2 8 8	136 176 176 272 272 537 537	1328	2050	A-THE 1A			30	9 4	801	202	293	157
( w ) Z		2 2 2	N	A-SPEED	17	2 <b>4</b> 0	9 P	96.4	10 S	9 9 9	\ 0 P	922
	MIND SPEED COASSECT	MIND DIRECTION (0.1 DEG)	TEMPERATURE (0.01C)	214)	85 EP (	0.50	1.00	0 0 0 0	4 10	0000	- 0 f	32.00

Table 3 (Continued)

HINDY ACRES RUN NO. 5H

13 AUG 65 2135 CST

KURTOBIS	- 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	303	<b>9</b>	7 F M	##C	2.00	4 4 8 6 1 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	11111 400001	<b>4</b> 0	o n	Ē	.003189 .014487 .025407	.039938 .057168 .063379	.00.080 .00.000 .00.000 .00.000 .12.000 .14.04.2
BIGRA	44909s	23	•	H H H H	9000	2027	2061 2127 2250 2415
HEAN	167 167 167 200 200 200 200 700 700	1358 1494	2027	A-THETA	4 D 6	© ⊕ 93 F	20000000000000000000000000000000000000
( H) Z	00144618 9000000000000000000000000000000000000	32	~	6-9PEE0	4 4 6 6 0 4	* P	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	MIND SPEED (CH/SEC)	MIND DIRECTION 10.1 DEG1	TEMPERATURE (0.01C)	Z(M)	0.00 0.00 17.00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

13 AUG 65 2150 CST

Table 3 (Continued)

3	
0 Z	
₹ Э	
ACRES	
HINDY	

	Z(H)	REAN	8 ENA	SKEINESS	X LATES IS
	0.25		19	4 K L	8 8 8 8
WIND SPEED [CN/SEC]	1 4 6 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1		2 -	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
WIND DIRECTION (0.1 DEG)	~ <b>~</b>	1443	8. 4.81		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
TEMPERATURE 10.01CJ	co.	1046	S.P.		170
(H)Z	A-SPEED	A-THETA	THETA	æ æ	Z1H}
80 80 60 60 60 60 60 60 60 60 60 60 60 60 60	0.0	n (	1693	.002738	0.25
	0 52 52 54 52 54	> 0 0 1 10 1	1696	.016341 .054364 .079702	0.50
2.00	9 60 IN	* D 3	1946	.097295	2.00
4.00 6.66 11.31	151 94 255 161	134 220 135	1995 2080	10000000000000000000000000000000000000	4 & & .
16.00 22.63 32.00	376 215	282	2215	165151	32.00

Table 3 (Continued)

MINDY ACRES RUN NO. 5K

13 AUG 65 2205 CST

XURT@SI8	110 100 100 177 100 100 100 100 100 100	337	326	21.81	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 - 1 - 6 - 7 - 7	4 4 8 0 1 1 4 W W W W W W W W W W W W W W W W W
SKETZESS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-20 -25	<b>6</b>	: &:	.001119 .011756		.096636 .121769 .13771 .13554 .135515
SIGHA	00000000000000000000000000000000000000	40	•	1 AE 1 A	1005	1629 .0	2071 -11
HEAN	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1437	1074	6-THE7A	2 2 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	66 45 117 72	107 125 125 125 125 125 125 125
Z (#) Z	0.25 0.50 1.0 2.0 4.0 4.0 8.0 8.0	32 8	∾ ,	A-SPEED	4 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3.6 10.6 70	186 267 267 151 371 220
	MIND SPZED (CM/SEC)	MIND DIRECTION 10.1 DEG)	EMPERATURE 10.01CJ	(#)2	0.25 0.35 0.50 0.71		4.00 5.66 6.00 11.31 16.00 32.63

13 AUS 65 2220 CST

MINDY ACRES RUN NO. 5L

	2 ( H ) 0 - 2 5	N SO	S 6 1 A A A A A A A A A A A A A A A A A A	SX ET NE SS S S S S S S S S S S S S S S S S S	RURTES18
MIND SPEED ICM/SEC!	2004 e 4	24	0 2 2 2 3	1 1 1 1 1 4 4 0 N 4 6 6 4 0 0	0040 900 900 900 900
#IND DIRECTION (0.1 DEG)	35.0	740 740 1452	7	51- 9 41-	274 165
TEMPERATURE (0.01C)	35	1568	9 !	o wn o y	6 9 9 0 7 0
			2	<b>4</b>	236
( W   Z	A-SPEE U	4-THE TA	THETA		[ 11 ]
0.25	87	c	1830		0.25
0.50	4 °	9 :	1830	.000000	0.35 00.0
1.00	) ⊶ v	67	1846	.042193	0.71
2.00	001	1 00	1877	.078790	9 - 6
. 4 N	177	57 162	1034	. USB 480 .	0 m 0
00.01	273	242	2039	107870	0 0 0
16.00	382	264	2176	.139818 .133305	11.31
32.00	<b>!</b>	ì	2303	.134053	32.00

Table 3 (Continued)

HINDY ACRES RUN NO. SH

13 AUG 65 2235 CST

ACRICA CONTRACTOR CONT	88999999 889999999 888889999	2 2 4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N
<b>************************************</b>	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	មាស ។ ។ ។	R I -0.04
8 C12	8 6 M 4 6 8 6 6 6 6 M M M M M M M M M M M M M M	37 37	THETA 1918 1920 1933 1951 1961 2042 2139 2265
HEAN	1 = 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1521 1599 1995	4-1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Z(N)	0.00 1.00 1.00 2.00 1.00 3.00 3.00	0 01 01 19	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	WIND SPEED (CM/SEC)	MIND DIRECTION (0.1 DEG) Temperature (0.01C)	Z i M J O O S S S S S S S S S S S S S S S S S

13 AUG 65 2250 CS!

WINDY ACRES RUN NO. 5N

	2(#)	MEAN	SICHA	SALERES	KURTUSIS
MIND SPEED (CM/SEC)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 3 3 3 1 1 2 8 8 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	04 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3005 3005 2604 2604 3004 3004
MIND DIRECTION (0.1 DEG)	% & &	1563	62	3° 40°	327 338
TEMPERATURE (0.01C)	N	1979	9	7.2	240
2 ( M )	PEED PEED	A-THETA	THETA	<del>,</del>	(u )7
0 .28 0 .38 0 .50	1 4 6 7 8 6	ກສູ	1944	.008515 .017198	0 0 0 0 0 0 0 0 0 0 0 0
2 - 1 1 2 - 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 1 0	. 0 t. 4 0 t. 4	4 5 5 3 4 4 5 5 3 4	1959	.025131 .041260 .064102	0 4 1 6 10 4 5
W 4 W	52 137 85	27.4 7.7.6	2008	.070338	(4 4 )
6.00 11.31 16.00 22.63 32.00	214 129 334 205	121 73 178 105	2056 2129 2234	.097734 .114684 .117712	90.00 10.00 10.00 10.00 10.00 10.00 10.00

Table 3 (Continued)

13 AUG 65 2305 CST	KURTOSIS		:	272	266	OED	255	100					327	D 07		184			2111			0.25	S::0	G	0.72	00:			20.4			18.11	16.00	22.63	00.26
0 € 10 € 10 € 10 € 10 € 10 € 10 € 10 €	SAFENESS	•	•	- 77	57-	r-	-10	-13	7	0		•	<b>9</b> 9	?		-58																			
																			~			.007603	01845	.031398	.042921	.057341	.060292	-067806	.079257	-095205	000000	-109837	.111763		
	SIGNA	33	21			7 (	9 7	97	50	27		1.4	200		6	2			THETA		1904		1001		1918		1937	, , ,	9961		9102	2000		2210	
	HEAN	128	146	170	203	256	9 17	470	) N			1629	1673		1937			*******			1	ית י	7	1 (	9 9			0 6	90	122	72	104	122		
	2(4)	0.25	06.0	0.1	2.0	0.7	0.0	16.0	32.0			~ ;	32		8			4-SPEED			•			· •		9	20	136	<b>99</b>	214	131	J56	227		
					MIND SPEED (C4/SEC)						MIND DIRECTION 10.1 DEC.			TEMPERATURE . C. C.C.				264)		0.25	0.35	0.50	0.71	00.1	1.41	<b>8.</b> 00	2.5	000	9 0			20.00	32.00		

13 AUG 65 2320 CST

HINDY ACRES RUN NO. 50

	2(#)	HEAN	SIGNA	SKREZES	XUR TOBIE
wind speed icm/sec:	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4	6 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4 1 1 1 1 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4	1 4446000 1 4446000 1 4446000
WIND BIRECTION 10.1 DEGI	~ ~	1 1 1 1 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9	7.4 · •	155
Z(W)	73345-7	A-THETA	THETA	Ę	213
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	<b>" - 0</b>	1804	.00000. .010746 .020030	0.20
0 - 0 F	4 D 10 C	<b>9 €</b> 0 €	1633	.004500.	2
7 5 6	1996 101 101 101 101 101 101 101 101 101 10	1 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1922 2007 2120	.027999 .067011 .101430 .10590 .207298 .207298	24 5 6 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

-

Table 3 (Continued)

STABY ACRES BUN NO. 52

13 AUG 65 2335 CST

X C 4 4 6 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	122226	200 200 200 200 200 200 200 200 200 200	22	######################################	NA
BAEHNESS	#####	6	-72	7	.047489 .047489 .047489 .047489 .047489 .047489 .12486 .12496 .12496 .12496 .12496
E E E	4 6 7 - 6 U U U U U U U U U U U U U U U U U U	7 <b>0</b>	50	THETA 1766 1767	
76 A 27	1100 1200 1200 1200 1200 1200 1200	# 0 1 0 0 1 1	700	4-746.1A	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
( # ) R	3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	* **	~	0 9 6 6 7	
	1928 (CM/82C)	wing BIRECTION 10.1 DEG!	TEMPERATURE (0.01C)	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	-0-00000000000000000000000000000000000

١		
:		
١		
ļ		
٠		
ì		
ı		
ŧ		

MINDY ACRES SUN NO.	<b>1</b>			04 E1	13 AUG 65 2350 CST
	2(1)	# E # E	<b>9</b> 1 6 3 4	94634698	2.00 TEST
	0.25	27	8	05-	3
	0.50	•	n T	•	120
	1.0	:	:	£.**	187
	<b>5.</b> 0	117	•	~ -	
HIMD SPEED ICH/SECI	•••	171	61		
	••	250			7
	10.0	9	9 4	-	
	32.0	***	99		
			}	•	•
	•	,			
TOTAL CONTROLLER CO. 1 TERS	N :	1476	5.	•=	•••
	32	1710	17	90	711
TEMPERATURE 10.01C.	•		•	!	
	•	• A	7	-53	172
•					
	93344-4	6-THE TA	THETA	7	21M3
er Q			•		
98.00	9	•	A 7 0 7		0.25
9 6	•	n ;	•	.002727	C. 5
2.0		# G	7 0 7	4/1917	0.50
00-1	3.5	- 6	1443	.076786	0.71
7.7	7		•	97000	90.1
2.00	5.4	10	1690	A-1041.	4.6
2.62	**	•5		127104	
₩	- 20	• • • • • • • • • • • • • • • • • • • •	1754	UV. 141.	
2:0	<b>*</b>	00		106400	
8.	226	221	7707	. 156290	00.4
	24.2	171		.166508	
99.0	014	213	1975	.137969	10.00
00:00	187	182	;	018701.	22.63
3			2157		32.00

Table 3 (Continued) mings acres non no. 91

14 AUG 65 0005 CST

	Č.	HEAR	SIGHA	SKERNESS	KURTOSIS
	96,0	<i>1</i> 0 ¥0	•	7.2	179
	δ.; ••••	ne	01	Ø ()	255
BING SPECE CCANSEC.	) •	7	0	2	243
	•	191	~	ָרְיָּרָיִיּרָיִיּרָיִיִּרְיִיּרִייִּרְיִיּרִייִּרְיִיִּרְיִּרְ	:
	• ;	098	-	* ;	236
	0	歩んの		<b>8</b>	900
	32.0	432	20	<b>3</b> , *	253
			2	7	:
BIND GIRECTION 10.1 LEE.	•				
	~ ;	1475	••	. 7 - 1	
	ř	1728	13	-125	9 9 9 9 9 9 9
finetestual to.o.c.					
	~	1637	-0	•	
			•	7	
7 t u 1	63749-1	6-746.74	1 32	;	
				7	2 ( M ) S
0.23					
£7.0	63	•	250		
0.50	• •	•		177500	0.5
17.0	2	, (c)	1568	.024120	0.35
9)		67		7 7 4 4 7 - 7	0.20
1.4.1	* 1	9	1997		0.71
7.00		0		010111	.00
2.03		90	1637		1.41
4.60		> e		0/1001	5.00
9.00	-	202	1706		2.63
00.0		124		******	•••
	/17	230	070	907.91	9.00
50.01	•	*01	•	2000	00.
22.43	215	207	41.01	97909	11.31
34.00	727	=			16.00
) ) ;			2112		22, 63

14 AUG 65 0020 CST

Table 3 (Continued)

ACRES RUM NO. 6A
25
25
ACRES

	(#)2	HEAN	SIGMA	のの山之ま山との	KURTOSIS
WIND SPEED (CM/SEC)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 W W & W W & W W W W W W W W W W W W W	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 4 4 1 1 4 4 1 1 4 4 1 1 4 4 1 1 1 4 4 1	
MIND DIRECTION 10.1 DEG)	32 2	1618	P N	® <b>©</b> 1	150
TEMPERATURE (0.01C)	~	9694		30 1	456
2(4)	A-SPEED	A-THETA	TETA	<del>π</del>	Z ( M )
10 0 0	ic :	16	1562	0100	0.2
0.50	<b>9</b> 4 6	a n (	1578	.047981	0.50
1 0 6 1 0 6 1 0 6 1 0 6	* 10 G 1	1125	1611	.152579 .121954 .118844	1.00
4 R	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	170	1723	• 127547 • 145134 • 171804	% 4 4 00.0
11	212 123 272	200 97 287	1626	. 165944 . 166962 . 166962	8.00 11.31 16.00
32.00	!	2	2113	. 1 5 4 15 5 5	32.00

Table 3 (Continued)

14 AUG 65 0035 CST	KURTOSIS	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 7 9 6	9 9 9	Zinj			4 8 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	32.00
14 AUG	SKENNESS	2 4 2 4 2 1 2 1	?	83					
					ē	.024657	.115552 .116932 .130756	. 129546 . 159349 . 159349 . 156506 . 166193	-139595 -139048
	4E916	O 80 60 V V 60 44 44	9 p	2	THETA	1522	1563	1702	2122
	HEAN	11 12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1598 1766	4 W 4 W	4-THETA	21 61 60	9 6 7 1 9 6 9 9 1	2	21.7
•	2(11)	0.28 0.50 1.0 2.0 4.0 1.6.0 32.0	32.2	N	A-SPEED	2 7 8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	9907
		WIND SPEED (CM/SEC)	MIND DIRECTION 10.1 DEG.) TEMPERATURE	10.016	2[H] 0.28		2.02 2.03 4.00 6.00	8 4 1 1 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	32.00

Table 3 (Continued)

HINDY ACRES RUN NO.	0 • • • • • • • • • • • • • • • • • • •			14 AU	14 AUG 65 0050 CST
	2(11)	HEAN	81611		KURTOSIS
	0.25	n	o	9	0.80
	0.20	20	•	-7-	416
	1.0	01	•	n	134
	2.0	117	^	<b>9</b> P-	900
MIND SPEED (CN/SEC)	0.4	176	•	-15	273
	0.0	270	01	91	286
	16.0	410	13	55-	401
	32.0	671	=	-22	•
	•		i		
TIME DIRECTION 10.1 DEED	~	1550		124	471
	32	1764	91	109	439
TEMPERATURE 10.01C3	(4)	1893	•	SE-	27.1
ZUNI	A-SPEED	4-THETA	THETA	ŭ.	Z [ H ]
40.0					;
		(	00*1		0.73
	D •	> (	•	560600	0.35
000	• .	> (	200	.022859	0.50
	7	2	<b>6.8</b> .	13//2/	0.71
77-1	) e		4001	20012	9:
2.00	00	77	1081		•
2.03	: <del>-</del>	. 82		101011	2.63
4.00	153	174	1671	.139269	90.4
5.66	95	96		.150161	9.0
00.€	232	213	1767	.147795	9.00
11.31	140	117		.157476	11.31
10.00	107	331	1884	.152870	16.00
P 6 . CN	261	214		.164780	22.63
32.00			2098		32.00

.006097 .10427 .10427 .10538 .120804 .125146 .135146 .170864 .17086 .170

1463 1473 1498 1545 1613 1709 1822 2004

0 . 28 0 . 28 0 . 30 0 . 30 0 . 30 0 . 30 0 . 41 0 . 60 0

Table 3 (Continued)

14 AUG 65 0105 CST

SKEENESS

KINDV ACRES RUN NO. GU	Z(H)	0.25 0.50 1.0 2.0 2.0	32.0	MIND DIRECTION 10.1 DEG) 2	TEMPERATURE (0.01C)	
	REAN	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200 201 620	1703	1545	
	SIGNA	20 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	137 60	26	

187 320 412 414 336 199 222 270

235

990

150

2 ( H )

=

THETA

	Table	Table 3 (Continued)			
EINBY ACRES RUN NO.	9. 06			14 AUG	14 AUG 65 0120 C3T
	Z ( W )	I I	816HA	SAFEZESS	X CATOS
	•		7	-11	į
	67.0	\$ 6	: =	0 1	259
	00.			91-	242
	) ·	• (	•	, 0	253
	2.0	741	2:		10 C
WIND SPEED (CM/SEC)	0.4	661	9 1	- ;	
	0.0	238	50	77	9 (C
	16.0	414	31	**	205
	32.0	622	<b>4</b> 3	<b>0</b>	211
			•	*	***
MIND DIRECTION 10.1 DEG!	~	1312	911	ָ ה	
	32	1659	46	-15	M 4
			;	;	Ş
TEMPERATURE 10.01C1	~	1517	8	79-	
			4	ă	ZI#3
2 <b>4 1 2</b>	A-5FEED	<b>4</b> 1 4 5 1 4	t .	•	<u>:</u>
					0.25
0.25		,	• /• •	77777	46.0
67.0	•	-	ļ	*00*54	
05.0	70	15	1475	.030621	0.0
0.71	20	7		.03680.	
1.00	15	24	201	**************************************	3
1.41	10	9 (			2.00
3.00	7	0 (	/161		79.8
2.03	19 (	) 	1867	10000	90.4
9.00	971			145044	5.66
9 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	7 6	242	1662	192890	9.00
	717	, e		.253317	11.31
11.11		166	1814	.221147	16.00
00.00	200	179		.217684	22.63
32.00	}		1993		32.00

MINDY ACRES RUN NO. 6F

14 AUG 65 0135 CST	KURTOBIS	4 11 V 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2.2 6 1 2.2 6 1	2 00 00 00 00 00 00 00 00 00 00 00 00 00
3.4 AUG	BKERNESS	1111 100 1011100	4 H H H	; = 000 4 4 4 4 m m h h
				AL 1002567 -002567 -002667 -002667 -1011550 -110550 -110550 -12620 -12620 -12650 -12
	816HA	1 5 5 5 7 5 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6	79 <b>6</b>	1 HETA 1 4 4 4 1 4 9 3 1 6 5 0 1 9 6 4 2 0 6 9
	MEAN	2 4 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 100 100 100 100 100 100 100 100 100
<b>à</b>	2(4)	0.28 1.0 1.0 1.0 1.0 1.0 0.5 0.0	** **	4-8 6-6 6-6 6-6 7-7-8 7-8
THE STATE STATE SO.		WIND SPEED (CM/SEC)	HIND DIRECTION 10.1 DEG! Temperature 10.01C!	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z

14 AUG 65 0150 CST

HINBY ACRES RUN NO. 66

	2(8)	HEAN	816HA	SAME	AURIOSIS
MIND SPEED ICM/SEC!	00-14-64 800-14-64 00-14-64 00-14-64	5 6 1 1 1 0 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0 0 0 0 0 4 0 4 0 0 7 4 0 6 4 0	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
MINB BIRECTION 10.1 DEGI	N N	1511	76	-57	900 300
TEMPERATURE (0.01C)	N	1496	<b>52</b>	71	<b>6</b> 6
(8)2	6-SPEED	A-TMETA	THETA	<b>™</b> α	2(4)
s s o o	28 47	- 0	1447	090100*	9 90 6 0 0 0
0.7 1.00 1.4	- # P		1 46	417070. •07080. •07080.	0.0
0 7 7 6 0 7 9 6 0 7 9 6		4 4 4 0 1 1 0 5 b	1547		- 0 0 4 1 4 0 3 0 0
6.00 11.31 12.63 32.63	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1640 1835 2046	. 111600 . 17000 . 17000 . 195763	11 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Table 3 (Continued)

BINDY ACRES RUN BO.	. ex			14 AU	14 AUG 65 0205 CST
	(11)2	MEAN	816HA	SKETESS	KURTORIS
	0.25	1,	en Pi	77	
	0.50	72	77	000	191
	0.1	16	23		
	2.0	91.5	28	9	***
TIME STEED ICH/SEC!	0.7	166	) P)		A 1 1
	•	243	en Pr		/62
	16.0	100	45	76)	250
	32.0	626	; <del>,</del>	211	0 I
wind Direction to.1 5661		1430		•	
	32	9991		<b>9</b> (	172
			•	Š	252
TEMPERATURE (0.01C;	~	1518	27	7	•
				;	
	4-5PEED	4-THE TA	THETA	Ē	2(11)
## - Q					
50.0	-	•	1465		0.25
0.00	: 5	D 7		-005210	0.35
12.0	•	• =	1/4/1	-022655	0.20
00.1	• • • • • • • • • • • • • • • • • • •		1409	.104778	0.71
	27	50		.132667	3 -
7	r •	<b>.</b> :	1516	.116949	<b>5.00</b>
•	125	¥ ;	•	.121435	2.63
20.6		57	Deci	100400	4.00
00.4	215	202	1633	40001	9.5
	67.	134		186400	00.
22.43	797	61n	1767	.162285	10.01
32.00	9	6		.162401	22.63
			2641		32.00

14 AUG 65 0220 CST

miner acats now no. 6.

	2001	26.42	8 I GMA	SECTION	ACA78818
	\$ 0 °	<b>8</b> %	50 5	0 0 0	163 257
(3)4/U) (3)4/B (4)1	00000 00000	10 - 10 0 0 00 00 0 00 00 0 00 00 0	, a a a a a a a a a a a a a a a a a a a	42147	
ins sisection to.1 acc.	~ %	06691	2 % 2 %	4 4 6 b	2 2 2 8
15MPERATURE 10.01C)	•	1471	23	N P	500
2 6 4 3	9 3 3 4 5 ~ 9	A-TMETA	THETA	ï	[W]2
****	***	o n	1301	.003714	0.00
1.00	* 5 %	<b>2</b> 2 2	6171	. 074986 . 094477 . 17493	
	: 2 2 2	1 1 2 0 0 1 1 2 0 0	1471	. 150529 . 1612529 . 226127	- 0 M -
\$8585 ••====	7 h n e n	200 200 200 200 200 200 200 200 200 200	1662	.317919 .217462 .214751 .147842 .134921	40 44 W
22.00			1890		32.00

Table 3 (Continued)

14 AUG 65 0235 CST

XURTOS18	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 00 00 00 00 00 00	4.	(11)	00.22 00.23
SAEENESS	1221111	2.2	- 150	~	.020301 .044428 .072845 .072845 .134284 .134284 .134284 .311128 .349704 .311128 .370612
SIGNA	W 0000 A 11	n o 7 ¬	•	THETA	1347 1354 1377 1423 1542 1639 1711
76 4 2	60 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1262	1423	#-TME14	
4417	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* * *	~	6 * 2 P.E. D	-48 60 1 4 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6
	wind speec icm/sec)	eing binkcrien 10.1 BEG1	16mptratume ;0.01Cj	Zinj	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

#1487 4CRES RUN NO. 64

14 AUG 65 0250 CST

HINDY ACRES RUN NO. 61

Table 3 (Continued)

MINEY ACRES RUN NO. 6M

14 AUG 85 0305 CST

BLGHA JAETARGS AUSTOLIS	145 - 175 -	136 75 233 17 12 221	181	THETA R.J. Z.EM.J.	.001572	1337 .023152 0.50			118461 2.83 1496 -132551 4.00		1706 - 100111 100.00
HEAR	400K 00 0	990 TO A TO	4 5	6-THE 1A	20	4 E	0,4	000	700	200	290
2643	0 0 - 4 4 8 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	32 6	N	6-SPEED	0	6 O	98.7	103		217	346 221
	MIND SPEED (CH/SEC)	WIND DIRECTION 10.1 DEG! Temperature 10.0101		2143	80 00 00 00 00 00 00 00 00 00 00 00 00 0	0.00	1.00	0 m	4 8	8.00 11.31	16.00

14 AUG 65 0320 CST

BINDY ACRES RUN NO. 6N

5 00-44664 E 48000000
~ 3
~
<b>1-8F</b> [2B
91
37
1 10
ne ne
001
70
169
105
229
124
141
217

The state of the s

Table 3 (Continued)

14 AUG 65 0335 CBT

-	
•	
	•
	5
	5
	ACRES
	HINDY

RURTOBES	00011400 1000110001	240	233	Z(H) 0.28	80°00	1.00	0 4 0 4 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0
5 E E E E 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 T S	31	er	.002223 .014403 .102898	2000001. 200001.	. 135050 . 156625 . 213669 . 21369 . 217676 . 14964
SIGNA	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	60 00 10 00	12	THETA 1254	1262	1269	1411 1524 1636 1799
Z 4 W	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1452	1331	6-1HETA	. 33 23	69 42 122	00000000000000000000000000000000000000
Z(H)	00 - 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 Z	•	4-SPEED	76 21	7 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	63 84 801 117 117 240
	HIND SPEED (CM/SEC)	MIND DIRECTION 10.1 DEG!	TEMPERATURE (0.01C)	2 [N] 0 - 25 0 - 35	0.50	1.00 2.41 2.41	4 t t d I I I M V V V V V V V V V V V V V V V V

14 AUG 65 0350 CST

)		
)		
-		
)		
b		
Ś		
i		
ĕ		

MINBY ACRES RUN NS. 60

	(4)2	HEAN	4 2 3 E 8	***************************************	KURTOSIS
MIND SPEED (CM/SEC)	0 0 - 1 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000	70 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	77.7888
wind Birection (0.1 DEG)	8 8	1575	8 8 P	20 10	135
TEMPERATURE (0.01C)	N	1295	•	*	506
2603	0	6-THE TA	THETA	≕ ¢r	ZER
5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<b>9</b> 0	<b>₹</b>	1216	•001000	0.00 0.05
1.00	2 6 5	7 2 C 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.102466	2.00
7 7 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	107	125	1295	116315	2.00 2.00 2.00
900	100 242	195 117 229	1373	.137210 .156442 .147497	4 N e
11.31 16.00 22.63	250 227	112 274 162	1602	.147951 .151055 .166674	11.31 16.00 22.63
32.00			1764		32.00

Table 3 (Continued)

14 AUG 65 0405 C8T

RUBINE	4 4 6 4 W W W W W W W W W W W W W W W W	25 25 220	0	(H) <b>2</b>	00.00 0.00 0.00 0.00 0.00 0.00 0.00 0.
SKETKESS	1111112	4 8	7		8 8 8 8 5 7 9 9 7 D V V
SIGRA	4 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	133	<b>0</b>	~	.000795 .013286 .007789 .109239 .112737 .128979 .128979 .128979 .128979
				THETA	1219 1221 1244 1264 1336 1535 1730
HEAN	15 81 118 171 171 171 171 171 171 171 171	1989	1264	A-THETA	222 222 232 24 24 24 24 25 25 25 26 26 26 26 26 26 26 26 26 26 26 26 26
4 <b>8 7 7</b>	000-00-00 000-00-00 000-00-00	2 %	N	4-SPEED	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	WIND SPEED (CH/SEC)	WIND BIRECTION (0.1 DEG)	TEMPERATURE 10.01C)	264)	0.25 0.45 0.45 0.50 1.60 1.60 8.66 8.66 11.00 11.00 82.60

14 AUG 65 0420 CST

Table 3 (Continued)

6.5
•
6
ACE E
3
CRES
£
۳
-
=
Ŧ
HINDY
#

MESS RURTOSIS	8-890290	287	173	2(M) 0.25 0.35 0.50 0.50	22.0 4 8 8 4 4 2 2 2 2 4 8 8 4 4 4 2 2 2 2 2
AA SKEBMESS	111111111111111111111111111111111111111	124	<b>P7</b>	RI •001895 •011375 •028778	.033491 .073441 .073441 .078442 .096618 .113299 .113092
8 6 8 A 8 6 8 A 8 8 8 8 8 8 8 8 8 8 8 8	N N O O O O	76		THETA 1360 1361	1390 1421 1486 1597 1809
HEAN		1923	7360	A-1HETA-134-134-134-134-134-134-134-134-134-134	2 2 3 1 1 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
2(11)	0.20 0.50 0.50 0.60 0.60 0.00 0.00	61 2	~	A-SPEED 2 2 3 4 5 7 3 5 7 3 5 7 3 5 7 3 5 7 3 5 7 3 7 3	40 9 9 5 3 1 1 6 2 6 9 6 9 6 9 9 9 9 9 9 9 9 9 9 9 9 9
	MIND SPEED (CM/SEC)	HIND DIRECTION 10.1 DEG!	TEMPERATURE 10.01C)	2 ( W ) 0 . 25 0 . 35 0 . 30 0 . 31	

		Table 3 (Continued)	=			
MINDY ACRES BUN NO.					14 AUG 65 0435 CST	
	(H)2	HEAN	SIGMA	SKERNESS	SISOTKUN SE	
	9.2	127	24	9		
	000	97.	52	7	: :	
	2.0	178	ī	-23	0.00	
THE CHAPTER	4	242	25	-30	500	
	0.0	752	70	77-	967	
	16.0	200	7	-37	000	
	32.0	735	* 0	-53	273	
			•		•	
minu Direction (0.1 DEG)	~	2021	•			
	32	2059	22	• 0	500	
TEMPERATURE 10 010.				:	276	
	~	1403	^	-		
				3	304	
2111	4-8PEED	4				
			THETA	₹	2(11)	
0.25						
50°0	21	•	1452		i d	
D. C	51	· <u>«</u>	****	-007572	67.0 0	
	90	=	D	-013618		
7 - 1	9 5	22	1467	.020407	0.71	
2.00	9 4	0		5041214	7.00	
2.03	53	9 7	1403	.047657	1.4.	
00.	130	: 2		.057005	D	
) (d	<b>5</b>	• •	1907	.071271	2 C	
	220	130	, ,	.066537		
00.41	135	95	000	101054	90	
22.63	245	234	1637	.119577	11.31	
32.00		261		.130689		•
			97/1			

2010	
	3
	1
	Ş
	ACRES

windy acres mun ns.	3			14 AU	14 AUG 65 0450 CST
	2683	HEAN	816MA	SE RE SE SE	*CRT691\$
	0.50	109	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	 	265
#130 B/EEB (CM/SEC)	- 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		2 5 5 5 6		200 200 200 200 200 200 200 200 200 200
HIND BIRECTION (O.1 BEG)	7 2	1913	55 55 56 56 56 56 56 56 56 56 56 56 56 5	-14	1 50
TEMPERATURE (0.01C)	~	7	11	51	227
2 ( 4 )	0-3966.0	6-THETA	THETA	 Œ	Z(H)
8 8 0 0 0 0 0 0 0	4 (	ຄກ	1414	.007740	
7 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	2522	3 <b>4</b> 1 2 3 0 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1	1427	.022948 .03828 .058590 .05856	2 0
2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00	24 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25	23 66 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1475 1532 1621 1763	.00472 .100454 .110548 .120041 .130745	7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7

Table 3 (Continued)

14 AUG 65 0505 CST

	7611	HEAN	816HA	SKEENESS	XURTOS IS
138/H2 152/85C1	00-84648	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11111 11004b460 11004b466	1 9 9 9 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1
sins Sinteries (0.1 966)	* <b>?</b>	1625	<b>0 </b>	<b>~</b> %	221 240
1310-01 10-012	N	1412	2	-72	350
76.83	03745-1	6 - TME 7 A	7 HE F.A	ī	2 (H)
8.50 6.40 6.40 6.70	<b>9</b> (3 %)	72:	1300 1300	.007751	0.00 0.00 0.00
0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 8 9 6	ФФ., • М. н. Ю. н	1364	.036045 .036131 .051716 .05466	04-0
0 e 0 0 1 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	14 0 20 0 3 3 4 4 0 20 0 3 3	1 5 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	.005026 .005526 .104513 .112576 .126659 .170669	10 4 0 4 1 1 N
					36.00

windy acres hum no. ev

Table 3 (Continued)

almer acres num ne.	•			₹ •	14 AUG 65 C520 CST
	268	NC JN	81634	DKE BNE SS	AURTORIA
	\$ . O	105	9.7	£ <b>7</b> *	į
	0.00	121	90	-30	589
		54.5	72	-20	260
mith parts . Calebr.	2°0	1 62	92	-20	216
	•	526	<b>92</b>	í	202
	0.0	330	52	7	000
	0.41	474	•	<b>~!-</b>	
	32.0	101	•	•	3 :
wing biaterion 10.1 EEG1	~ ;	1050	<b>`</b> 0	01	311
	25	1967	90	91	506
TEMPERATURE CO.O.C.			,		
	•	13/6	•	60	306
1	4-19660	41 947 14	1		,
•			4		1 H 1 Z
6.0			146		,
0.35	• 1	-			0.25
05.0	9	•=	1352	.00410	60°
0.71	2	0			00.0
00:	•6	98	1362	**************************************	
	6	•		030100	7
00.7		7	1378	.05400	2.00
	70	~		.073474	2.63
4		• ;	1410	.082880	•••
90.0	246			.096823	9.00
16.21	4	7.01	*/•!	40.101.	00.0
00.01	300	206	. 77	202021.	11.31
50°22	223	201	•	.214240	00.00
8.2			1762		00.00
					) ) )

14 AUG 65 0535 CST

KURTOSIS		<u>.</u>	<b>S</b>	1472	8 8 6 0 0 0 0	1.00.7	2 2 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	• 0 m	32.00
SAE ENESS	0 - 0	<b>4</b> 0	-23	ā	.001726 .008527	.017094 .02354 .03180 .03180	-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0	121224	.300251
8 16MA	20202020	<b>©</b> G	91	V 1 3 H I	1961	0481	6141	1.00	1616
** 35		0 60	1303	A-7:E7A	<b>⊶ છ</b> ¶		^ C G	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8
2 i i	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 8 8	•	0 33 48 - 4	N O 0	ens:	4 0 4 1	7	į
	eins Decke ien/see;	#185 618EC1188 (0.1 8E61	TEMPERATURE 10.CIC;	714)	## O G O G	0 - 0 0 0 0 0 0 0 0 0 0 0 0	0 ± 0	O A O A	2.00

14 AUG 65 0550 CST

WINDY ACRES RUN NO. . .

	Z ( M )	Z. F. A.V.	S 16Ha	SAFERS	KURTOSIS
KIND SPEED (CM/SCC)	2.00 2.00 2.00 2.00 0.00 0.00 0.00 0.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$   P   B   B   B   B   B   B   B   B   B	000 A A M 4 M A M A M A M A M A M A M A M A	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
HIND DIRECTION 10.1 LEG.	8 8 8	1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 N	7.7 0.9	321
TEMPERATURE (0.01C)	~	1383	٥	•	207
ZIM]	A-SPEEU	4-THE 1 A	THETA	7	Z 4 A )
0.25	55	0	1306	000000	0.25
0570	2 5 1 2 6 1	^ ^	1366	.0166373 .014643	0.50
1.00	37	17	1373	.016487	00-1
00.0	9 KI	32	1363	6.000 de 0.000 de 0.0	2.00
0.4	949	12:	1405	V4030.	200.4
20 A	257	651	1453	.090839	9 D D
16.00	10 10 10 10 10 10 10 10 10 10 10 10 10 1	111 362 251	1564	.145071 .145138	16.00
32.00		•	1615		34.00

Table 3 (Continued)

WINDY ACRES RUN NO. 62

14 AUG 65 0605 CST

XURT0818	20000000000000000000000000000000000000	330 213	<b>□</b> ₹	1 H 1 Z	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
SAFER	1111 44146 000000	9 0 9 10	84	<del>-</del>	.0011726 .001474 .0014676 .0014691 .00186946 .001867 .001867 .1060866 .1050866 .150786
4.00	0 0 0 4 4 8 8 8 0 4 9 0 0 9 9 V	27	0	THETA	1385 1385 1402 1420 1456 1750
AEAN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 20 20 20 20 20 20 20 20 20 20 20 20 20	1402	4-THETA	1 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(4)2	00 - 4 - 6 - 5 E E E E E E E E E E E E E E E E E E	2 2	N	A-SPEED	22 22 22 22 22 22 22 22 22 22 22 22 22
	WIND SPEED (CM/SEC)	MIND DIRECTION (0.1 DEG)	TEMPERATURE 10.01C]	2(4)	0.25 0.45 0.50 1.67 1.67 1.67 2.00 6.00 11.31 11.31 11.31

14 AUG 65 0620 CST

HINDY ACRES RUN NO. 646

* URIES IS	1000000 100000 100000	20 20 20 20 20 20 20 20 20 20 20 20	8(8)	0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SXENESS	4664 4664 4664 4664 4664 4664 4664 466	5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	~	.002315 .012077 .029219 .029219 .029111 .071643 .071643 .076972 .076972 .072070
AHBIS	486 - P 486	7.2	THETA	1367 1368 1406 1424 1459 1525
HEAN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1902	4-THETA	
2(#)	0 0 - 4 4 6 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	7-3PEE.D	24 42 42 42 42 42 42 42 42 42 42 42 42 4
	MIND SPEED (CM/SEC)	MIND DIRECTION 10.1 DEG) Temperature 10.01C;	Z ( H )	0.25 0.35 0.35 0.35 1.30 0.35 0.35 0.35 0.30 0.30 0.30 0.30 0

Table 3 (Continued)

14 AUG 65 0635 CST

KURTOSIS	200 200 200 200 200	323	60	2143	0 0 0 0 0 0 0 0 0 0 0 0	1.41	0 4 4 4 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11.31 16.00 22.63 32.00
SKERNESS	22 22 31 13 13 13	: in e	\$ 7					
≤				i e	.000000	.017308 .017459 .017029	.039706 .039706 .059717 .050774	.099289 .128662 .156930
SIGHA	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 5 4 15	e N	THETA	1470	1476	1491	1562
HEAN	11.7 11.5 11.5 11.5 11.5 11.5 11.5 11.5	1854	1.480	A-THETA	O • •	0 4 21	7 6 9 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ଜ କ ବ କ ବ ୬ ଅ ଜ
Z ( N )	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	~ ~ ~	~	6-SPEED	2 4 2 2 4 2	52 7 2 4 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	HIND SPEED ICM/SEC:	WIND DIRECTION (0.1 DEG)	TEMPERATURE (0.01C)	1812	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	 	00 * 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22.00 22.00 32.00

14 AUG 65 0650 CST

Table 3 (Continued)

HINDY ACRES RUN NO. 6CC

	2(11)	HEAN	\$ 16MA	SKEENESS	KURTOSIS
	0.25	130	Or	7	250
	00.0	191	32	07-	220
	0.1	162	92	-25	271
	3.0	211	37	-10	27.2
wind speed ich/seci	0,4	247	37	-53	243
	0.0	311	*	-22	284
	0.01	423	10.00		<b>408</b>
	32.0	929	27	23	
MIND DIRECTION 10.1 DEG)	~	1840	76	**	313
	32	1931	52	90	322
TEMPERATURE 10.01C1	~	1559	50	22	195
1272		41 941 - 4	10514	ă	1
			<u> </u>	•	
0.25			1561		86.0
0.35	23	77		0047!A	1 m
0.00	7	-	1558	001214	0.50
0.71	21	~		.007546	0.71
00.1	20	-	1560	.001661	1.00
17.1	50	7		003956	1.41
2.00	9	-	1559	.002227	2.00
2.03	90	~		.010271	2.83
7.00	100	9.	1961	.030117	•••
2.66	7	71		.045494	5.66
00.0	176	52	1575	.063147	<b>9.</b> 00
40° 44	112	38		.080568	11.31
00.91	onn	182	1613	-118762	16.00
22.63	227	77		.148150	22.63
32.00			1757		32.00

Table 3 (Continued)

mindy acres fun no. 600

14 AUG 65 0705 CST

14 AUG 65 0720 CST

WINDY ACRES RUN NO. 6EE

Colored Colo	20.25 1.0 2.0 2.0 2.0 3.17 4.0 3.17 3.2 3.2 3.2 3.2 3.2 3.2 3.3 3.3	8.000000000000000000000000000000000000	44 N N O O O O O O O O O O O O	111 111 11 4 44400000 40 4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
2-0 317 55 -41 -48 -11 -12 -12 -12 -12 -12 -12 -12 -12 -12	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		64 N W O O V A O O O O O O O O O O O O O O O O	4 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2000 2000 2000 2000 2000 2000 2000 200
2	2.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3	20000000000000000000000000000000000000	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200 200 200 200 200 200 200 200 200 200
2.0 317 559 -4 4.0 352 61 -12 16.0 450 54 -10 32.0 450 54 -10 32 1766 63 -14 32 1766 46 -16 32 1766 46 -16 32 1763 26 -4 36 -9 1803 -0009759 39 -12 1804 -0004070 39 -12 1804 -0006069 35 -12 1764 -0006069 36 -16 1770 -0006069 36 -16 1770 -0006069 36 -16 1770 -000609 36 -16 1770 -000609 36 -16 1770 -000609 36 -16 1770 -000609 36 -16 1770 -000609 36 -16 1770 -000609 36 -16 1770 -000609	4-5PEED 4-11 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 0 0 0 0 0 0 0 0	267 280 280 280 280 280 280 280 280 280 280
2-0 337 56 2 2 10 2 2 10 2 2 2 10 2 2 2 2 10 2 2 2 2	2.0 352 15.0 352 15.0 352 2.2 352 2.3 352 2.4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	00000	0 0 0 4 24 6	2000 4 80 1	291 281 281 281 281 281 281 281 281 281 28
4.0 352 61 -10 -3 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10	20 0 352 16.0 352 18.0 352 2 32 1766 32 1766 33 177 112 36 65 58 10 11 11 37 11 11 38 120 58 11 11 58 11 11 58 11 11	0000	9974 24 S	0P00 40 7	310 259 259 259 259 259 259 259 259 259
20 1708 61 -10 110 110 110 110 110 110 110 110 11	2 2 392 32 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0000	004 24 5	700 40 4	255 259 259 259 259 259 259 259 259 259
22.0 450 54 -10 32 1708 63 14 32 1708 63 -16 32 1703 26 -16 40 1703 26 41 41 4-\$PEED 4-THETA RI 1813 -0009759 55 -9 1805 -000449 77 -12 1804 -000449 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -17 1784 -005672 78 -18 1770 -005299	16.0 32.0 32.0 32.0 32.0 32.0 32.0 32.0 32.0 33.0 34.0 34.0 34.0 35.0 36.0 37.0 38.0 39.0 30.0	000 11 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 94 G	1 1 4 0 4 8 4	259 259 259 190 190 190
32.0 946 46 16 16 16 16 16 16 16 16 16 16 16 16 16	32.0 2	0 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 94 S	)	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2 1766 63 14 2 1846 46 -10 2 1793 26 41 2 41 2 41793 26 41 2 65 -0 1013 -0009759 39 -12 1805 -0009759 39 -12 1804 -005479 77 -12 1804 -005479 73 -20 1793 -005479 74 -10 1793 -005479 75 -17 -17 -1764 -005479 75 -17 -17 -1764 -005479 75 -17 -17 -1764 -005479 75 -17 -17 -1764 -005299 75 -17 -17 -1764 -005299	22 1768 1646 1768 22 1768 24 1646 1768 25 1768 26 1768 27 177 173 173 175 175 176 176 176 176 176 176 176 176 176 176	# H	2 4 S		6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2 1706 63 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10	22 1766 1966 1966 1966 1966 1966 1966 1966	4 H	P 9 9	40 4	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2 1793 26 -18  2-5PEED A-THETA RI 26 -0 1805 -0000759 55 -1 1804 -000003 77 -12 1804 -005640 73 -20 1793 -005647 75 -17 1784 -056672 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -17 1784 -056478 75 -18 1776 -056478 75 -18 1776 -056278 75 -18 1776 -056278	32 32 32 32 32 32 32 32 32 32 32 32 32 3	4	2 <b>4</b> 6	# 60	40 9 66 6
26 1793 28 41  26 -5FED A-THETA FILLIA RI  26 -6 -6 1813009759  39 -1 1804009449  30 -11 1793005647  31 -20 1794056479  32 -17 1784056479  33 -17 1784056479  34 178047147  35 -17 1784056479  36 -14 1776047147  36 14 1784 .080299	2	¥ .	6	. <del>.</del>	7 P
2 1703 28 41  4-SFED	2 1793 20 65 30 65 30 77 7 112 73 72 112 73 75 111 75 75 114 85 66 114	¥	9	7	£ 01
2 1793 20 41  A-SFEE A-THETA FILTA RI  20 -6 -6 -0009759  55 -12 1804 -0009449  77 -12 1804 -005449  78 -11 1784 -05672  40 -0 -14 1776 -05672  56 -14 1776 -05672  56 -6 1770 -067147  154 6 1770 -06759  96 14 1784 -065213	2 4-5PEED 4-17FIA 1793 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	¥	<b>⊕</b> €3	7	163
26 -6 1813 -0009759 65 -9 1805 -0009759 59 -1 1813 -0009759 77 -12 1804 -005449 73 -20 1793 -005642 75 -17 1784 -056472 40 -6 1776 -056472 58 -6 14 1776 -056478 154 6 1770 -060299	20				
26 -6 1813 -0009759 -	26 65 66 65 65 65 65 65 65 65 65 65 65 65				
26 -6 100759 65 -0 1005000759 59 -1 1004005070 50 -1 1 1004005040 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472 50 -1 1 1784056472	A-SPEED A-THETA 65 65 65 10 11 2 11 2 11 2 11 2 11 2 11 2 11 2				
26 -6 1805 -004970 39 -1 1804 -00599 39 -1 1 1804 -0059449 39 -1 1 1793 -0059429 35 -9 1793 -005952 35 -9 1784 -056472 40 -6 -14 1776 -056472 58 -6 14 1776 -05629 59 1784 -056299	20 00 00 00 00 00 00 00 00 00 00 00 00 0				
26 -6 1605 -0000759 55 -9 1605 -001003 77 -12 1604 -005449 36 -11 1793 -025146 75 -17 1764 -02562 75 -17 1764 -056472 86 -6 14 1776 -056489 96 14 1764 -056213	26 65 73 73 73 73 74 75 75 76 76 76 76 76 76 76 76 76 76 76 76 76		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	æ	1 H 1 Z
26 -6 18050009759 65 -9 1805004970 39 -12 1804005449 35 -12 1804025146 73025146 74025146 75 -17 1764056429 76 -16 1776056429 76 -16 1776056429 77 -14 1776055213 78 -14 1784060299	26 20 30 30 30 30 30 30 30 30 30 30 30 30 30		:		
65 -6 100759 39 -12 1604 -0004070 38 -11 1764 -005640 39 -20 1793 -005672 35 -17 1764 -056472 40 -6 1776 -056472 56 -6 1776 -054699 56 14 1776 -052213	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		1613		0.25
39 -1 1004 -101003 39 -1 1 1804 -101003 38 -1 1 1704 -1021146 39 -2 1793 -10251146 35 -17 1764 -1056472 40 -6 1776 -1056472 56 -16 1776 -1056489 56 -16 1776 -105029	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			009759	0.35
77 -12 1604001003 38 -11 1793035052 35 -17 1793035052 75 -17 1764056472 40 -6 17 1776056489 56 -6 1770055213 96 1770055213	7.0 7.3 7.3 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5		1805	004970	0.50
77 -12 1604009449 36 -11 179302552 35 -9 176405652 40 -6 1764056672 56 -14 1776056489 56 -6 1770052213 96 14 1764	77 33 35 35 40 40 66 66 11 16 16 16 16 16			001003	0.71
7311025146 7320 1793035052 7517 1784056472 408056472 9614 177605489 586 1776047147 154 6 1770 -052213 96 14 1784	100 100 100 100 100 100 100 100 100 100		1604	009449	00.1
73 -20 1793035052 35 -9 1784056052 40 -6 1784056069 96 -14 177605489 56 -6 1770047147 154 0 1770 .080299	7.8 7.8 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6			025146	1.41
359045526 7517 1764056422 9618 1776054489 566 1776054489 96 14 1770040299	0.04 0.40 0.04 0.11 0.11		1793	035052	2.00
75 -17 1764056472 40 -6 -14 1776056489 56 -6 1776047147 154 6 1770047213 96 14 1764	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0			048526	2.83
50 6 6 6 6 60009 50 14 1776 65489 50 6 647147 154 0 1770 625213 96 14 1764	00000000000000000000000000000000000000		1784	056472	4.00
96 -14 1776054489 586047147 154 0 1770025213 96 14 1784	4 . I			066069	5.66
56 -6 170 -147 154 8 170 -025213 96 14 1764			1776	054489	9
154 6 1770 .025213 96 14 .080299 1784				047147	11.31
96 14 .080299	154		1770	.025213	16.00
1764	96			.080299	22.63
			1764		32,00

Table 3 (Continued)

HINDY ACRES RUN NO. OFF

14 AUG 65 0735 CST

S KURTOSIS	. 245 251 265 265 265 265 252	2 2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
SO JEEN SO	1 1 1 1 1 6 1 4 4 5 2 5 2 2 2 2	-25	HI CO7221 CO4148 C14235 C14235 C14235 C14235 C14235 C14235 C14235 C12235 C12235 C12235 C12235
68 B	4 0 0 0 0 0 0	P 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	THETA 1924 1915 1912 1965 1964 1903
HEAN	222 222 222 222 223 223 223 233	1677 1926 1895	A-TETA 1.2 1.3 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.2 1.3
2(4)	0.25 0.50 1.0 4.0 2.0 32.0	8 8 8 8	6-5-6-6-5-6-6-5-6-6-5-6-6-6-6-6-6-6-6-6
	#140 SPEEG (CM/SEC)	MIND CIRECTION (0.1 DEG) Temperature (0.01C)	Z H J S S S S S S S S S S S S S S S S S S

Table 3 (Continued)

MINDY ACRES RUN NO. 666

STATE   STAT						14 AUG 65 0750 CBT
DEG. 1 241 50 -7 246 249 14 200 2 200 14 200 2 2		2(11)	HEAN	S168A	SKRENKS	
DEG. 1 274 53 14 288 2 0 10 10 10 10 10 10 10 10 10 10 10 10 1		0.25	241	9	•	
## 1.00		05.0	274	3	•	203
## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 284  ## 1993 97 97 97 984  ## 1993 97 97 97 984  ## 1993 97 97 97 984  ## 1993 97 97 97 984  ## 1993 97 97 97 984  ## 1993 97 97 97 984  ## 1993 97 97 97 97  ## 1993 97 97  ## 1993 97 97  ## 1993 97 97  ## 1993 97  ##		0.1	321	0	•	200
BEG! 32 1993 97 -7 288  BEG! 32 2040 97 -7 288  2 2011 30 -17 288  2 2011 30 -17 288  33 2 2049 -13 1985  34 -16 1985 -104057  48 -16 1985 -104057  49 -20 2011 -104057  40 -20 2011 -104057  41 -15 1985 -104057  42 -10 1985 -104057  43 -11 1985 -104057  44 -16 1986 -104057  45 -16 1986 -104057  46 -20 2011 -104057  47 -16 1985 -104057  48 -10 1985 -104057  49 -20 2011 -104057  40 -10 1985 -104057  40 -10 1985 -104057  41 -11 1	minh speed covers	<b>7.</b> 0	370	2.9	<b>.</b>	256
16.0		0.4	777			261
16.0 473 63 52 284  DEG1 2 1993 63 52 284  2 2040 79 -7 228  2 2041 30 -13 223  3 2 2049 -16 2037 -0006017 0.35  49 -20 2031 -000610 0.35  49 -20 2031 -000630 0.35  40 -20 20 20 20 20 20 20 20 20 20 20 20 20 2		•	445	3	9	301
32.0 508 63 -22 288  32		0.41	673	37	n,	569
## 1993 97 -7 288  2 2011 30 -17 288  4-\$PED		32.0	906	3 3	25	264
## 1993 97 -7 278 208 278 278 278 278 278 278 278 278 278 27				2	~	205
2 2011 30 -17 200 273 273 273 273 273 273 273 273 273 273	WIND BIRECTION (O.1 DEG.	•	,			
273 274 275 275 276 277 277 277 277 277 277 277 277 277		v <u>c</u>	F361	46	-	
2 2011 30 -13 155  4-5PEED		;	2040	79	-17	273 273
4-5PEED A-TMETA THETA MI ZIMI  33 -12 2049 -1000017 00.25 47 -100017 00.35 47 -100017 00.35 49 -20 2031 -000447 00.35 40 -20 2031 -013071 1.41 41 -15 2011 -027291 1.41 41 -15 201 -027291 1.41 41 -15 201 -027291 1.41 41 -15 1996 -20374 4.00 62 -21 1996 -202762 6.00 63 -15 1995 -202762 6.00 63 -15 1995 -202762 6.00 63 -214320 22.63 52.00	TEMPERATURE 10.01.1					
4-5PEED 4-THETA THETA HI ZIMI  2049 -12 2037 -1006017 0.35 47 -6 2031 -1006017 0.55 40 -26 2031 -100447 0.50 90 -35 2031 -013071 1.00 41 -15 2011 -013071 1.01 41 -15 201 -013071 1.01 52 -26 1996 -205541 2.00 62 -21 1965 -203762 6.00 63 -16 1965 -200762 6.00 63 -16 1975 -200762 11.31 53 -16 1976 -214320 22.00 52.00		~	2011	30		!!!
33 -12 2049 006910 0-25  34 -12 2037 006910 0-35  40 -26 2031 004447 0-35  40 -26 2031 013071 1-00  40 -35 2031 013071 1-00  41 -15 2031 013071 1-00  42 -26 2031 027291 1-00  43 -15 1996 089541 2-00  44 -15 1996 089541 2-00  45 -21 1996 208741 4-00  46 -2 10 1995 208762 8-00  47 -2 10 1995 208763 11-31  48 -2 10 1995 208763 11-31  49 -2 20007 11-31  49 -2 20007 200007 11-31					:	100
3.3 -12 2049000017 0.25  3.4 -20 -20 -10 -10 -10 -10 -10 -10 -10 -10 -10 -1						
33 -12 2049 006210 0.25  47 -12 2037 006510 0.35  49 -26 2031 013071 1.00  40 -35 2031 013071 1.00  41 -15 2011 013071 1.01  41 -15 2011 045056 2.03  54 -11 1965 045571 4.00  55 -10 1965 203762 4.00  56 -21 1965 203762 4.00  57 -200607 11.31  58 -20 1975 203762 4.00  58 -10 1975 203762 4.00  58 -10 1975 2040607 11.31  58 -20 -20 -20 -20 -20 -20 -20 -20 -20 -20	1 2 2	,				
33 -12 2049006017 0.25 47 -60 510 0.35 48 -26 203100447 0.71 41 -15 2031013071 1.41 41 -15 201102791 1.41 75 -26 199602056 2.03 62 -21 1965202762 6.00 63 -15 1975202762 6.00 32.00 32.00 33 -15 1975200607 11.31		4-SPEED	A-THETA	THETA	=	
2049 -12 2049 -14 2037 -000610 -16 -000610 -26 -20 2031 -013071 -90 -35 2031 -013071 -15 -15 1996 -0595741 -124637 -26 -10 1995 -203762 -21 1995 -204762 -21 1995 -2040607 -21 1995 -2040607 -21 1995 -2040607	;					
33 -12 -000017 47 -6 -20 -000510 49 -20 -2031 -000447 49 -20 -35 -013071 41 -15 -027291 52 -20 1996 -085517 53 -26 -10 -124837 54 -15 -124837 55 -260607 55 -260607 56 -214320		,		2049		
47		77	-15			0.25
96 -26 2031 -00442 40 -26 2031 -013071 41 -15 2011 -045056 75 -26 1996 -056507 34 -11 1996 -056507 26 -10 1995 -202762 83 -15 1975 -206007 83 -15 1975 -214320	0.71	0 1	97-	2037		O.35
49 -26 2031 -013071 40 -35 2011 -027291 41 -15 2011 -027291 75 -26 -26 -025741 62 -21 1995 -026762 63 -15 1975 -22762 63 -15 1975 -214320	1.00	**	•		016900-	0.50
41 -027291 41 -027291 75 -26 1996 -085741 82 -21 1985 -085741 83 -15 1975 -202762 83 -15 1975 -214320	17-1	9 4	-26	2031	01307	0.71
41 -15 2011 -040056 75 -26 1996 -058507 34 -11 1996 -024837 28 -21 1985 -202762 63 -15 1975 -240607 35 -5 1970 -214320	\$.00	; 6	0.7		027291	00.1
75 -26 1996 -056507 34 -11 1996 -065541 62 -12 1965 -12637 63 -10 1965 -202762 63 -10 1975 -260607 1975 -216320	2.03	) -	6.	2011	040056	100
34 -10 1996 -005741 62 -11 1965 -124837 26 -10 1965 -202762 63 -15 1975 -240607 1970 -214320	4.00	52	610		050507	200
62 -21 1965 -202762 26 -10 1965 -302762 63 -15 1975 -304607 35 -5 1977 -214320	9.5	75	8 ;	9661	005741	700
26 -202762 63 -15 -240607 39 -5 1975 -240607	00.0	-		1	124837	
00.04796 1.044796 1.044796 1.044796 1.044796 1.04479		20	: :	1985	202762	00.4
35 -2 1975 -240607 -5 1976 -214320	00.01	?•		!!!!!	334796	18.41
1970214320	22.63	35	- un	1975	280607	90.91
	00.34		,	0401	214320	22.63
						32.00

Table 3 (Continued)

BIRBY ACRES BUR NO. 6MM

2 233 32 32 34 34 44 34 44 34 34 34 34 34 34 34 34	2141   MEAN BIGNA BHENESS   244   244   244   245   245   246   245   246   245   246   245   246   245   246   245   246   245	TOTAL STATE SEC.	Į.			14 AL	14 AUG 65 0805 CST
0.25 0.26 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.5	0.25 0.29 1.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2		26.83	REAN	81684	SAENESS	AURTOS IS
0.50	10.50 309 56 -38 -38 -38 -38 -38 -38 -38 -38 -38 -38		0.25	233	6	•	i
1.0 350 64 -33 -24 65 64 -33 65 65 65 65 65 65 65 65 65 65 65 65 65	1.0 300 64 -33 -34 -33 -44 -35 -44 -35 -44 -35 -44 -45 -44 -44 -44 -44 -44 -44 -44 -4		0.30				225
2.0 331 99 72 -15	2.0 551 60 120 120 120 120 120 120 120 120 120 12		1.0	000		7	304
2 202	2 202		2.0			77	201
2 2022 69 -24 -15 -15 -15 -15 -15 -15 -15 -15 -15 -15	2 2022 70 16 -20 -24 -26 -15 -15 -15 -15 -15 -15 -15 -15 -15 -15	ing secto ica/sc:		9 (	•	92-	286
2 2022	2 2022 97 -16 -24 -26 -16 -26 -26 -26 -26 -26 -26 -26 -26 -26 -2				72	\$7 <b>-</b>	272
2 2022 97 16 2 2023 97 16 2 2023 97 16 3 2023 97 16 3 2023 97 16 3 2023 97 16 3 2023 97 16 3 2023 97 16 3 2023 97 16 3 2023 97 16 3 2023 2023 2024 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2022 67 79 -16 20 20 35 -20			727	9	-24	P
32 2022 97 16 32 2043 70 36 32 2043 70 36 34 2105 55 5156 35 -13 2163 36 -16 15 2165 -1010353 37 -13 2165 -1010353 38 -13 2165 -1010353 39 -13 2165 -1010353 39 -13 2165 -1010353 39 -14 2165 -1010353 39 -15 2067 -116520 39 -16 -16 2053 39 -17 56 -17 556 39 -17 56 -17 556 39 -17 56 -17 556 39 -17 56 -17 556 39 -17 56 -17 566 39 -17 56 -17 566 39 -17 566 30 -17 56	2 2022 67 16 30 50 75 -20 30 32 2043 70 30 30 30 30 30 30 30 30 30 30 30 30 30		0.0.	465	20	-	100
2 2022 97 10 2 2043 70 36 3 2105 59 -724 2 2105 59 -724 3 -13 2156 -010353 7 -13 2156 -010353 7 -13 2156 -010353 7 -13 2169 -010353 7 -14 20530 -110353 7 -14 20530 -110353 7 -11035	2 2062 67 10 36 36 36 37 36 36 36 36 36 36 36 36 36 36 36 36 36		32.0	200	75	000	
2 2022 97 16 36 36 36 36 36 36 36 36 36 36 36 36 36	2 2022 97 16 35 35 35 35 35 35 35 35 35 35 35 35 35					2	127
2 2043 97 16 2 2043 70 36 2 2043 70 36 2 2043 70 36 2 2053 2053 59 2 2053 2054 105 2 2054 2055 2055 2055 2055 2055 2055 205	2 2043 70 16 2 2043 70 36 2 2043 70 36 2 2043 70 36 2 2043 70 36 3 2 2043 70 36 3 2 2043 70 36 3 2 2043 70 36 3 2 2043 70 36 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	THE CHEST STATES					
2 2105 55 -724  2 2105 55 -724  2 2105 55 -724  2 2105 55 -724  2 2105 -010353  2 2105 -011104  2 2053 -011104  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2105 55 -724  2 2105 55 -724  2 2105 55 -724  2 2 2 2 1 0	1939 T.O. PACINATION AND	~	2075	0	•	
2 2105 55 -724 -724 -724 -724 -724 -724 -724 -724	2 2105 55 -724 -724 -724 -724 -724 -724 -724 -724		32	2043	20		225
2 2105 55 -724 -724 -724 -724 -724 -724 -724 -724	2 2105 55 -724 -724 -724 -724 -724 -724 -724 -724					•	•
\$ 2105 \$56 -724	4-\$FEED						
32 -13 2156 -010353 24 -13 2143 -010353 26 -26 -26 -011164 26 -36 -36 -023725 26 -41 -15 -023725 27 -16520 28 -16 -16 -16520 29 -16 -16 -16520 20	4-5666 4-14674 14674 81  32 -13 2154 -010353  70 -26 2143 -011104  44 -15 2143 -0110353  50 -15 2143 -0110353  50 -15 2143 -0110353  50 -15 2143 -011042  50 -15 2105 -023725  60 -16 2055  70 -16 2055  70 -16 2055  71 -16 2053  72 -17 2053  73 -17 2053  74 -17 2053  75 -17 2053  76 -17 2053  77 -17 2053  78 -17 2053  78 -17 2053  78 -17 2053	110.01	~	2105	88	-724	
32 -13 2156 -010353 76 -26 -13 2156 -010353 76 -26 -15 -011164 44 -15 -15 -011164 42 -23 -126 -011164 40 -41 -126 -052561 73 -16 -16 -16 -061473 74 -16 -16 -16 -160156 75 -34 -16 -16 -160156 76 -34 -20547 76 -36 -36 -36 -36147 76 -36 -36 -36 -160156 77 -160156 78 -36 -36 -36 -36 -36 -36 -36 -36 -36 -36	32 -13 2156 -010353 32 -13 2143 -010353 34 -25 2143 -010353 44 -23 2143 -023725 45 -41 2105 -0523725 35 -15 205 -11620 36 -16 2052 -217636 41 -19 2053 -397446 35 -12 2051 -397446						!
4-56620 4-7ME1A 7ME1A 91  32 -13 2143 -010393  44 -24 -24 -011104  45 -24 -012042  46 -34 -2120 -012042  47 -10 2007 -110520  59 -34 2072 -120530  70 -34 2072 -205047  70 -30 2053 -205047  70 -30 2053 -205047  70 -30 2053 -205047  70 -30 2053 -205047	32 -13 2156 -010353 32 -13 2143 -010353 34 -26 -26 2143 -011104 44 -15 2126 -023725 45 -41 2105 -05250 35 -16 2057 -114520 37 -16 2057 -114520 41 -16 2072 -120156 42 -16 2053 -130156 43 -17 2053 -130156 44 -12 2053 -130156						
3215131010353 341313010353 34241501104 34252301242 354121242 351606-200 361606-200 3716-20 3816-20 3916-20 301	32 -13 2156 -010353 34 -26 -26 -010353 36 -26 -26 -011044 44 -25 -26 -012442 45 -21 -012442 46 -36 -16 -012442 47 -16 -205200 48 -16 -205200 49 -16 -205200 40 -16 -205200 40 -16 -205200 41 -19 -2053 42 -217456 43 -31773 44 -3072 -2053 45 -317056 46 -317056 47 -3072446 48 -317076 49 -317076 40 -3072446 40 -3072446 40 -3072446 40 -3072446 40 -3072446 40 -3072446						
215413	215613 2156010353 24626 2143011044 24727 2126012642 24827 22620 24927 22620 24027 22620 25016 2057	1 W 1 Z	03348-1	A-1 ME 1 A	1	•	
32 -13 2143 -010353 24 -26 -26 -01104 42 -012642 42 -012642 42 -012642 43 -012642 44 -012642 45 -16 -012642 46 -16 -012642 47 -16 -012642 48 -16 -012642 49 -16 -012642 40 -16 -012642 41 -01	32 -13 2156 -010353					<b>T</b>	(W)2
32 -13 2143 -010353	32 -13 2143 -010393 44 -28 -24 -011104 44 -15 -24 -012042 45 -21 -020725 46 -16 -020725 50 -10 -02072 50 -10 -02072 50 -10 -001473 70 -10 -10 -001473 70 -10 -10 -10 -10 -10 -10 -10 -10 -10 -1	94.0					
76 -26 -2010353 44 -15 -2126 -012042 42 -23 -0212642 42 -23 -0212642 43 -16 -16 -021272 73 -16 -16 -16 -01673 74 -19 -2072 -160156 76 -16 -16 -205647 76 -17 -205647 76 -17 -205647 77 -205647 78 -17 -205647	26 - 10.0353  44 - 15 - 20.0353  42 - 23 - 21.06  40 - 41 - 20.05  70 - 41 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 10 - 20.05  70 - 20.05	\$5°0			2156		0.25
44 -15 2126 -011164 -012642 -012642 -012728 -0	44 -15 2143 -011104 42 -19 2126 -023725 42 -23 2126 -023725 40 -10 2007 -009620 70 -10 2007 -116520 70 -10	05.0		7		010353	
15 20242 42 -34 2124 -002422 43 -213 2105 -0050200 34 -14 2007 -116320 35 -15 2007 -116320 36 -34 2072 -116320 37 -34 2072 -120436 38 -31 2053 -31033	15 - 15 - 012642  42 - 26 - 16 - 023725  43 - 26 - 16 - 056200  34 - 16 - 2667  56 - 16 - 2667  78 - 19 - 2058  78 - 19 - 2058  78 - 10 - 205867  78 - 10 - 205867  78 - 10 - 205867  79 - 10 - 205867  70 - 205867			-26	2143	011104	
42 -39 2126 -023725 42 -23 2105 -023725 30 -14 2105 -05450 31 -15 2067 -114520 32 -16 136 2072 -116026 41 -19 2072 -120736 56 -18 2053 -120744 56 -18 2053 -120744	42 -23 2126 -023725 40 -41 2105 -023725 50 -16 -16 -061473 53 -15 2067 -160156 76 -34 2072 -160156 76 -34 2073 -205647 50 -305647 50 -305647 50 -305647 50 -305647 50 -305647 50 -305647 50 -30573		•	51-		012642	) 
42 - 23 - 04291	42 -23 -206 -04291 36 -41 -05020 37 -16 -061473 39 -15 -061473 70 -34 -360156 41 -16 -360156 70 -30136 70 -30136	3:	•	-20	2120	1,021725	7.0
10 -41 2105 -095201	10 2105 050200 1	- (	77	-23		0.040	00.1
10 -10 -001473 13 -10 -001473 14 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10	13		0	7	2105		7.7
73 + 13 2087 - 1164520 25 + 16 2072 - 160136 26 + 16 2072 - 2178536 76 + 18 2053 - 205464 35 + 12 2054	73 -13 2087 -16520 25 -16 -18 2072 -160159 26 -18 2072 -2958647 76 -31 2053 -2958647 25 -307469		•	•1-	1	P 1 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	<b>2.</b> 00
20 - 15 - 160156 20 - 160156 41 - 19 - 2072 - 217856 74 - 31 2053 - 397449 55 - 12 2061	35 -15 -15 -15 -15 -15 -15 -15 -15 -15 -1	9	20	.33	2047		2·13
76 -34 2072 -20555 78 -19 2053 -205657 35 -12 2053 -397646	76 -34 2072 -2170535 41 -19 2053 -295647 76 -12 2053 -397449 35 -12 2041 -513073		22	61-		00004	• •
41 -10 76 -10 35 -12 -10 2044 35 -12 -10	41 -10 -2056.7 -2056.4 -3074.4 -12 -204151307.3		*	-34	2072	44416-	2.00
70 00 00 00 00 00 00 00 00 00 00 00 00 0	70 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	***	<b>;</b>	07-	•		0 •
35 -12 -513073	35 -12 2041513073		•	-31	2053.	77000 C	70.1
700	2041		25	-12		120X14-1	00.0
		20.20			2041		22.63

_
T
ă.
•
3
-
-
***
•
•
x
·
1
$\mathbf{v}$
v
•
-
•
-
Ω
=
_

elast acets ave se.					
	770			14 AU	14 AUG 65 0620 CST
	***	NE JN	8 L. MA	84 242 248	ACR10518
	0.20	252	÷.	10.1	232
	- 4	800	2.5	9-7-	202
1119 9PEE 1CH/8EC1	•	424	=	¥ 1	7 6 7
	0.0	000	=	-52	305
	32.0	4 & 6 & &		-27	200 274
Bist biskelles (8.1 bfc)	٠	2006		Š	•
	32	2084	5 K	3.	271
16m9Enalume (0.01C)	*	21.74		*	<b>549</b>
\$ E 7 2	03349-1	4- FME TA	THETA	Ē	1 1 1 7
52.0			2240		0.25
#P:0	52	\$1.		009955	60.0
9.0	2 :	9	2225	013362	08.0
00.1		671	2200	017659	1.0
10.1	25	-24	3	404V40.1	3-1
2.00	2	-47	2176	050100	2.00
2.0	9 :	-53	,	063740	2.63
	22	\r.	2153		00.4
900			31.10	/! <b>**</b>	000
11.31	2	:=		000000	
00.01	2		2121	445273	00.61
56.22	•	21-		326478	22.63
			90.7		32.00

## Unclassified Security Classification

		rad whom i	he guerall report is classified!
			ORT SECURITY CLASSIFICATION
	ies (CRH)		Unclassified
'30		IL GRO	up .
			<del></del>
	ROM PROJECT	WIND	ACRES
nclusive dates)			
	1	568	74 HO. OF REFS
		PORT NUM	none e(m/3)
	1		
655-01-01			
2405394	A OTHER REPORT I	ofS) (Any o	other numbers that may be
81000		Spec	ial Reports No. 65
· · · · · · · · · · · · · · · · · · ·	1		
	general public.		_
HER	Laboratori L.G. Hanscom	es (CR Field	H)
re collected in ne data consist	three continuous primarily of ve	opera	itions, each lasting profiles of wind,
	PROFILES Finding determined and indexing determined an	PROFILES FROM PROJECT    Ta TOTAL NO. OF PARTIES	The Laboratories (CRH)  The Grad State of the CRH)  The Grad State of the CRH State of the General Public.  The Grad State of the General State of CRH State of the General

Unclassified
Security Classification

Unclassified
Security Classification

	LIN	K A	LIN	K D	LIN	K Ç
KEY WORDS	ROLE	WT	HOLE	WT	ROLE	WT
				,		
Boundary Layer Profiles Wind Profiles Temperature Profiles Micrometeorological Data					}	ļ.
Wind Profiles	<b>1</b>				1	
Temperature Profiles	1				1	)
Micrometeorological Data	1	1	]	ļ	}	]
	]	1			!	
	į	l				l
					l .	ţ
	ł		•		1	İ
	i	1	•		}	
	}		Ì		}	Ì
	l	ĺ	ì	l		}
			Į		ļ	İ
	į.	İ	ļ		ļ	i
	1	1	1	ŀ	Ì	1
	1	1	1	l		1
	1	ĺ	]	}	j	1
	- 1	l	1	l	l	l
	Ţ	l	l	ļ	ł	
	İ	1	İ	[	ł	ĺ
	5	1	1	•	1	i
	<u> </u>	1	1	Ì	}	i
	1	1	)		)	1
	ł	1	Ì	]	l	l
	l l	ł	İ		Į .	ł
		ļ	1	Į	[	ł
	1	l	1	1	1	}
	1	•		1	1	j
		)		1	Ì	)
	į.	ļ	į .	ļ	į	l
		ļ	1	ļ	i	
	j	Į.	İ	}	l .	1
	1	İ	1	1	1	1
	1	1	]	1	]	Î
	l	1	l	l	l	
			1	ł	1	1
		ł		ļ	ł	}
	1	{	}	1	1	}
	ĺ	ì	1	Į	ì	1
	l	į	l		1	1
	l	1	l	1	l	1
	<b>!</b>	1	1	1	1	1
	1	1	1	1	}	}
	1	}	1	1	1	1
	1	1	1	1	j	1
	ŀ	l	l	ł	1	1
	ł	1	[	1		
	ļ	1	[	1	1	1
		L	{	1	1	l l

Unclassified
Security Classification